



NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

W. H. BLACK (Company or Operator) DATE (28) (Lease)
Well No. 1, in NE 1/4 of NE 1/4, of Sec. 28, T. 30S, R. 35E, NMPM.
Indesignated Pool, Lea County.
Well is 660 feet from North line and 660 feet from East line
of Section 28. If State Land the Oil and Gas Lease No. is E-1923
Drilling Commenced 4-25-58, 19... Drilling was Completed 6-3-58, 19...
Name of Drilling Contractor J. C. Closser
Address Box 1107, Durice, N. M.
Elevation above sea level at Top of Tubing Head 3698.61. The information given is to be kept confidential until
19...

OIL SANDS OR ZONES

No. 1, from 3000 to... No. 4, from... to...
No. 2, from... to... No. 5, from... to...
No. 3, from... to... No. 6, from... to...

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from 70 to 85 feet. 15
No. 2, from 1250 to 1260 feet. 10
No. 3, from 4188 to 4193 feet. 5
No. 4, from... to... feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48	Used	91	T.F.	91		Conduction
10-3/4"	32.33	"	801	T.F.	801		Conductor
8-5/8"	24	"	1540	T.F.	1540		Conductor

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
16"	13-3/8	91	—	Mixed & pulled		
12"	10-3/4	801	—	Mixed & pulled		
9	8-5/8	1540	—	Mixed & pulled		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

DRY HOLE
Result of Production Stimulation
Depth Cleaned Out

WORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from.....0.....feet to.....4193'.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing.....DRY HOLE....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.....	1980		T. Devonian.....		T. Ojo Alamo.....
T. Salt.....	2120		T. Silurian.....		T. Kirtland-Fruitland.....
B. Salt.....	3560		T. Montoya.....		T. Farmington.....
T. Yates.....			T. Simpson.....		T. Pictured Cliffs.....
T. 7 Rivers.....			T. McKee.....		T. Menefee.....
T. Queen.....			T. Ellenburger.....		T. Point Lookout.....
T. Grayburg.....			T. Gr. Wash.....		T. Mancos.....
T. San Andres.....			T. Granite.....		T. Dakota.....
T. Glorieta.....			T.		T. Morrison.....
T. Drinkard.....			T.		T. Penn.....
T. Tubbs.....			T.		T.
T. Abo.....			T.		T.
T. Penn.....			T.		T.
T. Miss.....			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	12	12	Celiche	3730	4035	105	anhy and lime
12	85	73	Sand	4035	4060	25	Lime
85	240	155	Red Shale	4060	4135	75	Lime and red shale
240	280	40	Red Rock	4125	4188	53	Sandy lime
280	590	310	Sandy red shale	4188	4193	5	Water sand ID
590	630	40	Bule shale				
630	1044	414	red shale				
1044	1098	16	gray shale				
1098	1250	192	Sandy red shale				
1250	1260	10	Water sand				
1260	1380	100	Hard red sand				
1380	1975	595	red shale				
1975	1980	5	red rock and anhy.				
1980	2055	75	anhydrite				
2055	2120	65	broken anhy and shale				
2120	2175	55	salt				
2175	2233	58	anhy and salt				
2233	2610	377	salt shale and anhy.				
2610	3225	615	salt				
3225	3380	155	anhy and salt				
3380	3560	180	salt and shale				
3560	3650	90	lime and anhy.				
3650	3700	50	broken anhy.				
3700	3815	115	anhy and lime				
3815	3930	115	anhy and red rock				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator.....W. H. BLACK.....Address.....PO. 174, MIDLAND TEXAS.....
Name.....J. S. Bell.....Position or Title.....Agent.....