



NEW MEXICO OIL CONSERVATION COMMISSION  
HOBBS OFFICE OCC  
Santa Fe, New Mexico

1955 SEP 13 PM 3:49

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Gulf Oil Corporation  
(Company or Operator) Lea State "DA"  
(Lease)  
Well No. 5, in NE 1/4 of NE 1/4, of Sec. 14, T. 19-S, R. 36-E, NMPM.  
Eumont (Oil) Pool, Lea County.  
Well is 660 feet from North line and 990 feet from East line  
of Section 14. If State Land the Oil and Gas Lease No. is E-7419  
Drilling Commenced August 5, 1955 Drilling was Completed August 16, 1955  
Name of Drilling Contractor Howard P. Holmes Drilling Cont.  
Address Box 667, Hobbs, New Mexico  
Elevation above sea level at Top of Tubing Head 3741' The information given is to be kept confidential until  
-, 19-

OIL SANDS OR ZONES

No. 1, from 3890 to 4050' No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
9-5/8"	36#	New	1467'	Baker			Surface Pipe
7"	20#	New	3876'	Baker			Prod. String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	9-5/8"	1483'	650	Howco P & P		
8-3/4"	7"	3890'	425	" " " "		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

8-18-55 - Treated open hole formation from 3890-4050' with 10,000 gallons 24 gravity Famariss oil with 1# sand per gallon.  
Result of Production Stimulation Flowed 142 bbls oil, no water thru 2-3/8" tubing in 20-1/2 hours.  
Denth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL 1 IS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4050 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing August 19, 1955

OIL WELL: The production during the first 24 hours was 160 barrels of liquid of which 100 % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity 35.6

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy 1415'	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt 2666	T. Montoya	T. Farmington
T. Yates 2807	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen 3740	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	13'		Distance from Kelly Drive Bushing to Ground				
	155		Red Bed				
	1420		Red Bed & Shells				
	1485		Anhydrite				
	3145		Anhydrite & Salt				
	3890		Anhydrite & Lime				
	4050		Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 12, 1955 (Date)  
Company or Operator Gulf Oil Corporation Address Box 2167, Hobbs, N. M.  
Name Asst. Area Supt. of Prod. Position or Title