

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Monument, New Mexico

April 21, 1936

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico.

Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Amerada Petroleum Corporation

State **"T"**

Well No. **1**

in **SE 1/4 SW 1/4**

Company or Operator

Lease

of Sec. **25**, T. **19**

R. **36**

, N. M. P. M.,

Monument

Field, **Lea**

County.

N.

The well is **660'** feet (N.) (~~E.~~) of the **South** line and **1980'** feet

(E.) (~~W.~~) of the **West** line of **25- 25 - 19- 36**

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is

Address

If government land the permittee is

Address

The lessee is **Amerada Petroleum Corporation**

Address **Tulsa, Oklahoma.**

We propose to drill well with drilling equipment as follows:

Rotary

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17 1/2"	12 1/2"	40#	New Elec. Weld.	Minimum of 150' or 20' in red beds.		150
11"	8-5/8"	28#	New Elec. Weld.	2400' or thru Salt.		500
7-7/8"	6-5/8"	20#	New Elec. Weld.	3900' or on top of pay		100

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **3900'** feet.

Additional information:

DUPLICATE

Approved _____, 19____
 except as follows:

Subject to special regulations for drilling and casing wells in this area

OIL CONSERVATION COMMISSION,

By *[Signature]*
 Title **Oil & Gas Inspector**

Sincerely yours,

Amerada Petroleum Corporation

Company or Operator

By *[Signature]*

Position

Farm Boss

Send communication regarding well to

Name

J. A. Starkey

Address

Monument, New Mexico

U.S. GOVERNMENT PRINTING OFFICE

4-15-4

100-443887-100

Oilfield Information.

Copyrighted Reproduction Prohibited

COUNTY LEA FIELD Eunice-Monument STATE NM
 OPR AMERADA HESS CORP. API MN 04053
 NO 1 LEASE State "T" MAP
 Sec 25, T19S, R36E COORD
 660' FSL, 1980' FWL of Sec 12-5-20 NM
 2 mi NW/Monument RE-SPD 10-20-78 RE-MP 11-1-78

FSL
 12 1/2" at 208' w/150 sx
 8 5/8" at 2484' w/500 sx
 6 5/8" at 3808' w/100 sx

WELL CLASS: INIT		DX FINDO		ELEV		L & S	
FORMATION	DATUM	FORMATION	DATUM				
ID 3939' (SADR)				PBD			

IP (Grayburg-San Andres) OH 3808-3939' P 93 BOPD + 20 BW.
 Pot based on 24 hr test. GOR (NR); gty (NR)

CONTR OPRSELEV 3628' DF PD 3900' WO

12-25-78 F.R.C. 12-30-78 OWWO
 (Orig. comp. 6-21-36 from (Grayburg-San Andres)
 OH 3808-3939', OTD 3939')
 TD 3939'; Complete
 Pulled Rods & Pump
 Acid (3808-3939') 3000 gals (15%)
 12-30-78 COMPLETION ISSUED

12-5-20 NM
 IC 30-025-70440-78