

NEW MEXICO OIL CONSERVATION COMMISSION  
MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1106)

COMPANY Amerada Petroleum Corporation - Drawer D, Monument, New Mexico  
(Address)

LEASE State WM "B" WELL NO. 1 UNIT L S 27 T 19-S R 36-E  
DATE WORK PERFORMED 2-9 to 2-23-56 POOL Amont

This is a Report of: (Check appropriate block) ☐ Results of Test of Casing Shut-off  
☐ Beginning Drilling Operations ☒ Remedial Work  
☐ Plugging ☐ Other

Detailed account of work done, nature and quantity of materials used and results obtained.

4235' TD - Rigged up, pulled rods & pump and tubing. Drilled deeper from 4200' to 4235' with 4-3/4" bit. Ran tubing and set formation packer at 4206'. Sand-Oil open hole from 4206' to 4235' with 20,000 gallons Fomariss 24 gravity refined oil and 20,000# sand down 3 1/2" OD tubing. Maximum pressure 4400#, minimum pressure 3300#, final pressure 1700#. Average injection rate 10.6 bls. per minute. Swabbed & pumped lead oil. Ran rods & pump after swabbing and resumed pumping. Now producing from 5 1/2" OD casing perforations 4100' to 4170' & open hole 4200' to 4235'.

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

Original Well Data:

DF Elev 3739' TD 4200' PBD 4193' Prod. Int 4100'-4170' Compl Date 12-14-55

Tbng. Dia 2-3/8" Tbng Depth 4167' Oil String Dia 5 1/2" Oil String Depth 4200'

Perf Interval (s) 4100' to 4170'

Open Hole Interval \_\_\_\_\_ Producing Formation (s) Penrose

RESULTS OF WORKOVER:

	BEFORE	AFTER
Date of Test	<u>1-30-56</u>	<u>3-25-56</u>
Oil Production, bbls. per day	<u>27.60</u>	<u>27.84</u>
Gas Production, Mcf per day	<u>30,360</u>	<u>33,408</u>
Water Production, bbls. per day	<u>64.40</u>	<u>36.53</u>
Gas-Oil Ratio, cu. ft. per bbl.	<u>1100</u>	<u>1200</u>
Gas Well Potential, Mcf per day		

Witnessed by A. J. Troop

Amerada Petroleum Corporation  
(Company)

OIL CONSERVATION COMMISSION

Name

Title


Date

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name

Position Foreman

Company Amerada Petroleum Corporation



**LTR**



**Job separation sheet**

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	<b>X</b>
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER) <b>Sand-Oil Fracture</b>	<b>X</b>

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO**Monument, New Mexico**  
(Place)**February 8, 1956**  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the **State WM\*B****Amerada Petroleum Corporation**

(Company or Operator)

Well No. **1**in **L**

(Unit)

**NW** 1/4 **SW** 1/4 of Sec. **27**T. **19-S**R. **36-E**

NMPM,

**Summit**

Pool

**Lea**

County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Plan to rig up, pull rods and tubing. Rig up reverse circulating head and deepen well from 4200' to 4235'. Set retainer in bottom of 5-1/2" casing and sand-oil open hole from 4200' to 4235' with 20,000 gallons refined oil and 20,000# sand. Swab to test. If results are unsatisfactory, deepen well to 4310', run Schlumberger and test sand expected at 4295' to 4310'. If necessary sand-oil this interval with 6,000 gallons refined oil and 6,000# sand. Put well back on production.

Approved **FEB 9 1956**, 19.....  
Except as follows:**Amerada Petroleum Corporation**  
Company or OperatorBy **[Signature]**Position **Foreman**

Send Communications regarding well to:

Approved  
OIL CONSERVATION COMMISSIONBy **[Signature]**  
Title **District 1**Name **Amerada Petroleum Corporation**Address **Drawer D, Monument, New Mexico**