

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO. 30-025-04111	
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name: Northwest Eumont Unit	
8. Well No. #166	
9. Pool name or Wildcat Eumont Yates	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator **Rhombus Operating Co., Ltd.**

3. Address of Operator
200 N. Loraine, Suite 1270, Midland, Texas 79711

4. Well Location

Unit Letter **L** : **1,980** feet from the **South** line and **990** feet from the **West** line

Section **34** Township **19-S** Range **36-E** NMPM County **Lea**

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Surface csg: 8-5/8" 24# @ 285', cmt'd w/ 150 sx, circ. Prod. csg: 5 1/2" @ 3,903' w/ 400 sx, TOC 2,600' by CBL

Perforations: 3,779 - 3,799', CIBP w/ 30' cmt set @ 3,690'

Csg leak 1,604 - 1,625' sqz'd w/ 75 sx cmt w/ CIGR @ 1,557', tested csg to surf w/ 600 psi (March, 1990)

Csg leak 1,164 - 1,184' sqz'd w/ 100 sx cmt (March, 1960)

Csg leak 472 - 755' sqz'd w/ 200 sx cmt, circulated cmt to surface (November, 1968)

Tubing/packer: none

1. Dig & line earthen work pit, flow well down as needed. MIRU. NU BOP.

2. RIH w/ tbg to retainer set @ 1,557'. Circulate hole w/ plugging mud and pump 25 sx C cmt 1,557 - 1,457'.

3. POOH w/ tbg to 400' and pump 40x C cmt 400' to surface. POOH w/ tbg. **surface casing shoe plug**

4. Pump 5 sx C cmt to surface as needed. **surface plug**

5. Cut off wellhead and install dryhole marker. Cut off anchors and level location.

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **Engineer** DATE **07/23/02**

Type or print name **James F. Newman, P.E.** Triple N Services, Inc. Telephone No. 915-687-1994

(This space for State use)

APPROVED BY

Conditions of approval, if any:

ORIGINAL SIGNED BY

GARY W. WINK

OC FIELD REPRESENTATIVE II/STAFF MANAGER

DATE **AUG 09 2002**