Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO	SHOOT OR
OTICE OF INTENTION TO TEST CASING SHOT-OFF	X	CHEMICALLY TREAT W	ELL
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO OTHERWISE ALTER CA	PULL OR SING
OTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO P	LUG WELL
OTICE OF INTENTION TO DEEPEN WELL			
Monument, New Me	exice	March	51, 1936
		Place	Date
OIL CONSERVATION COMMISSION, SANTA Fe, New Mexico.			
Gentlemen:			
ollowing is a notice of intention to do certain work	as descri	bed below at the	
merada Petroleum Corporation			
Company or Operator Lease	•		
of Sec	, N	. M. P. M., Monument	Fiel
Loa. County.			
DOLLOW INCODICATIONS IN THE	DITTING A	ND REGULATIONS OF THE COMMIS	NTO.
8-5/8" 28# 8-thd. New Seamless emented by the Halliburton Method wi			2425' and
commented by the Halliburton Method wi Casing and fitting will be teste adisturbed for thiryt minutes. Come	th 500 d with nt play	1890# pump pressure and a will then be drilled out	allowed to star t of easing and
emented by the Halliburton Method wi Casing and fitting will be teste adisturbed for thiryt minutes. Come	th 500 d with nt play	sacks. 1200# pump pressure and a substant than be drilled our stand undisturbed for this	allowed to star t of casing and rty minutes.
Casing and fitting will be teste ndisturbed for thiryt minutes. Ceme he same test again applied and allow	th 500 d with nt play	sacks. 1200# pump pressure and a substant than be drilled our stand undisturbed for this	allowed to stan
Casing and fitting wial be teste ndisturbed for thiryt minutes. Come he same test again applied and allow	th 500 d with mt plug ed to	sacks. 1200# pump pressure and a substant than be drilled our stand undisturbed for this	allowed to stant of casing and rty minutes.
Casing and fitting will be teste ndisturbed for thiryt minutes. Come he same test again applied and allow approved	th 500 d with mt plug ed to	1890# pump pressure and g will then be drilled ou stand undisturbed for this	allowed to stant of casing and rty minutes.
Casing and fitting will be teste ndisturbed for thiryt minutes. Come he same test again applied and allow approved	th 500 d with mt plug ed to	1200# pump pressure and g will then be drilled our stand undisturbed for this	allowed to stant of casing and rty minutes.
Casing and fitting will be teste ndisturbed for thiryt minutes. Come he same test again applied and allow approved	d with nt pluged to	1200# pump pressure and g will then be drilled our stand undisturbed for this	allowed to stant of casing and rty minutes.
Casing and fitting wial be teste indisturbed for thirty minutes. Come he same test again applied and allow	d with nt pluged to	1890# pump pressure and g will then be drilled our stand undisturbed for this company or Operation of	allowed to stant tof casing and rty minutes.
Casing and fitting will be teste adisturbed for thiryt minutes. Come the same test again applied and allow except as follows:	Am	1800# pump pressure and g will then be drilled our stand undisturbed for this company or Operation Company or Operation Farm Boss	allowed to stant tof casing and rty minutes.
Casing and fitting wial be teste indisturbed for thirty minutes. Come he same test again applied and allow	Am B P	1890# pump pressure and g will then be drilled our stand undisturbed for this company or Operation Company or Operation Send communications regardance J. A. Starkey	allowed to stant of casing and rty minutes.
Casing and fitting will be teste adisturbed for thiryt minutes. Come the same test again applied and allow except as follows:	Am B P	1200# pump pressure and g will then be drilled our stand undisturbed for this company or Operation Company or Operation Company or O	allowed to star t of casing and rty minutes.

Santa Fe, New Mexico

MISCRELANGUS NOTICES

where this is a interpretary to the OH transcribin Councillator its graphs agont hat a rest specified is the construction of the sender on which will be given the apparent, with any could about considered and the councillator of the rejection by the Councils or its agont of the plan submitted. The plan as approved about the lower west and west should not begin until approval to obtained. See additional insurantians in the Regulations at Councils.

Indicate nature of notice by checking below:			
NOTICE OF INTERCEPTANTO SCHOOL OR CHIEFLANT CHIEFLANT WELLS	AND THE PROPERTY OF THE PROPER		
ROTION OF INTERVION TO PUBLICAL FOR PORTON OF AUTOMAKE CASENO	NATE OF EXPRESSION OF SOLVEN		
NOTE E OF INTENES 3 3% FAMO WELL	COURS OF INTENSION TO ROBINDE WELL.		
	COCC of DOLLNERS TO DEPEND WELL		
A.S. A. Combandadores de Combandadores d	35.1 (14) (3.37) Standard Co.		
ent a	ZOLSZEWNĄCOWARSKOW (1997) ZOLSZEW WESTER ZOSZEWNIE (1997)		
	roseb as Jeon glacce ob or controlal to take the growth for		
The State of the S	and the second of the second o		
Provided the state of the state of the state of	e mail to the control of the control		
	Viscole		
2407 26 - ALE GARO	TOTAL TO SHATSO JUDG		
2001 F. 1. 410 F. 4. 4 F. P. F. F. R. K. P. P. S. C.	g Rough to test to be reported in the residence of the		
economic de la compansión de la compansi	cultura (e.d.ase. med .eric-d ca fiftyd Vid siden herreit karnolizzisi e. cyt tosquerase fit casosot ed astr politrit for ection dig acesed .e assis lyclar pair herreits ed beveilte base estiggo silvye describballes		
The continue of the colored for the colored fo	ſ		
Adding the second of the secon	STORER IN FRANCE CONTRACTOR STATES		
THE THE STATE OF T			
	and the state of t		







Job separation sheet

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature	_	
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING	WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING O	R OTHERWISE
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X REPORT ON DEEPENING	3 WELL
REPORT ON RESULT OF PLUGGING OF WELL		
Monument,	New Mexico Place	March 26, 1936
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico.		
dentlemen:		
Following is a report on the work done and the results of		
merada Petroleum Corporation	Weir	Well No. 4 in the
Company or Operator of Sec. 55	Lease	36
omment Field, Lea		·
The dates of this work were as follows:		•
otice of intention to do the work was submit		
ad approval of the proposed plan was (was not) obtain		rag13
DETAILED ACCOUNT OF WO		
$12\frac{1}{2}$ " $40\#$ New Casing was set in ethod with 150 sacks of cement.	this well at 217° and c	emented by the Hallibur
121" 40# New Casing was set in sethod with 150 sacks of cement. Cement plug was drilled out of case	this well at 217° and c	emented by the Hallibur
122" 40# New Casing was set in method with 150 sacks of cement. Cement plug was drilled out of castand undisturbed for one hour. Hailen	this well at 217° and c sing and hole bailed to r was again run to botto	bottom and allowed to m to determine if ang
122" 40# New Casing was set in sethod with 150 sacks of cement. Cement plug was drilled out of castand undisturbed for one hour. Bailer	this well at 217° and c sing and hole bailed to r was again run to botto numulated so drilling wa	bottom and allowed to m to determine if ang
122" 40# New Casing was set in sethod with 150 sacks of cement. Cement plug was drilled out of castand undisturbed for one hour. Bailer sater had accumulated, no water had accommutated.	this well at 217° and c sing and hole bailed to r was again run to botto numulated so drilling wa	bottom and allowed to m to determine if and a resumed.
122" 40# New Casing was set in sthod with 150 sacks of cement. Cement plug was drilled out of castand undisturbed for one hour. Bailer ater had accumulated, no water had accomplated by Claud Cook Name	this well at 217° and consing and hole bailed to rewas again run to botto cumulated so drilling was a company	bottom and allowed to m to determine if and s resumed. Tool-pusher
122" 40# New Casing was set in sthod with 150 sacks of cement. Cement plug was drilled out of castand undisturbed for one hour. Bailer ater had accumulated, no water had accumulated, no water had accommunated by Claud Cook Name Subscribed and sworn to before me this A	this well at 217° and consing and hole bailed to reas again run to botto sumulated so drilling was a company I hereby swear or affirm to is true and correct. Name	bottom and allowed to m to determine if and s resumed. Tool-pusher
12½" 40# New Casing was set in asthod with 150 sacks of cement. Cement plug was drilled out of cast tand undisturbed for one hour. Bailer ater had accumulated, no water had accumulated, no water had accumulated by Claud Cook Name Subscribed and sworn to before me this A	this well at 217° and company and hole bailed to rewas again run to bottom and again run to bottom run run to bottom run	bottom and allowed to m to determine if and a resumed. PDITATE Tool-pusher Title
12½" 40# New Casing was set in method with 150 sacks of cement. Cement plug was drilled out of cast tand undisturbed for one hour. Bailer sater had accumulated, no water had accumulated, no water had accommunated and sworn to before me this X-day of Mar. According Mandonly	this well at 217° and consing and hole bailed to reas again run to botto numulated so drilling was a company I hereby swear or affirm to is true and correct. Name Position Farm Representing Amera	bottom and allowed to m to determine if and a resumed. Tool-pusher Title hat the information given above Ly Boss de Petroleum Corporation

Name

Santa Fe. New Mexico

MISCELLANEOUS REPORTS ON WELLS

the force of an analysis to the spi Conservation Composition of its proper exent without the days after the solid and an incompressed. It exceeds a slighted and award to before a compared to beginning the litting as to be a fixed an incompressed and there is a constant and the conservation of the Commission. Inspers of minor operations need not on such a fixed a constant was well as an account of the Commission. They are a constituted to the Commission of the Commission.

	gradium appellum annualismanus v. parki pradiis radi Massi di proprincia di madalisti di dississi.	er der johre statismer i simplement i der som sindementerationen meter attent er tille	niicatr nature o	anna parama a situa an 1900 an ing matakan pangangan dahada ing kana mata dahan manakan an madanga menggan sahi untu	
	CONTRIBER WALLS	responsible		eno para elementario de la compositio de	
	PULLING OF OTERIWISE NE CASING	0 - 1719 (1801) 1911 (0 3 2	REMIERS	CHON RESERVE OF SHOOTING OF S SACRESS OF SELE	
	S DESTPENSING WELL	CEP STORY	j.	19 원시 국어 (1927) 46 1511 84년 전원 (194 년 한 한국한	Herli Ge
			WELT.	SO OZICECTE GO TUBBLE ZO C	····
94.26	. 6 1	37 K		.	
2			τ	ozoblykyjay copyuskou. W. New Modes.	
				f decta	1 1 (€ ¢)
	ending doted above at the				
National Control	. Well No. 3	ing i Berasal		in for five thick, hit by the text of the contractor.	
$M_{\rm col} = M_{\rm col} = M_{\rm col}$	SG H,	ar .	.т , 🥸	Turky of Sec.	
(hanc')			1.22 	. Mera 🕻 🎏	
				on that work were as follows:	als sa
gdal ^e sel 🧩 i	VO POTEN LA VII	s is files with		n Lucius medicingal in 1987 Gunta Baranda ang kalandara	' e'
,					
				Production of the State of the Control of the Contr	
i va a				n il pare reni Decrevani le di. Li como con la como de	
a series		करीर प्रोजकारण∰रेस्ट्रॉक्ट	ាំស្ពីណ្ឌ ស្ថាន ខេត្ត 	ersammen genderfolkeren bejen.	ing sing
N . 3- 10.		. V	i	j Marij Burgir i gering Burgi	* ************************************
uvoda prvity kod	or or althau that the lebumen crect.	sowe that of I on bas our er		on var scoled of Clows form forder	સ્ટુગ ફાઈ
	Section of the sectio	Name -	of.	and the second second	
		ibil**end			
	Man and a	11.013 1		A	
	, Andre Indonesia. Sistematika sharatika eta e sistematika eta eta eta eta eta eta eta eta eta et		ili		
15 44 15	neloj a o programo i i i	garazosengell	afitan ga	and the second of the second o	/: