NEW MEXICO STATE LAND OFFICE

#### JFFICE OF THE STATE GEOLOG....

SANTA FE, NEW MEXICO

# MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas inspector if possible.

inspector if possible. Indicate nature of report by checking below: X REPORT ON BEGINNING DRIBLLING OPERATIONS REPORT ON DEEPENING WELL REPORT ON PULLING OR OTHERWISE ALTERING CASING REPORT ON RESULT OF SHOOTING WELL REPORT ON RESULT OF TEST OF WATER SHUT-OFF REPORT ON REPAIRING WELL REPORT ON RESULT OF ABANDONMENT OF WELL Hobbs New Mexico. Dec. 1935. Date E.H. Wells. State Geologist. Santa Fe. N. Mex. Following is a report on the work done and the results obtained under the heading noted above at the Republic Production Company. Shelby & Mayeety Well No Two in the E ompone or Greenstor 1/4 35. 195. 36E. of Sec\_ \_N. M. P. M., New Lea Mexico Oil Field, -Dec 1st. The dates of this work were as follows: Notice of intention to do the work was (was not) sumbitted on Form SG-November 23 19 35, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.) DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED Set -- 313-Feet of new 12 1/2"-40# South Chester Casing with Texas Pattern Shoe. And cemented with 100 Cks. El Toro Cement. Pump & Plug job. DUNGATE Subscribed and sworn to before me this I hereby swear or affirm that the information given above is true and correct. sm affantranger Name Fish SuperAntendent. Position. ronell Representing Republic Production Co. Notary Public Harden Hotel, Hobbs New Mexico. Address My Commission expires Remarks: APPROVED Oil & Gas Inspector

#### NEW BEXIED STATE LIND OFFICE

### SPRICE OF THE STATE GEOLOG...


SANTA FECT BRE NOTES

# MISCELLANEOUS REPORTS ON WELLS

Sabuil this report in direlicate to the State Geologist or proper Oil and Oas Prepector within ten its antientits more pecified is completed. It should be signed and swent to before a relary public for reports on beginning drilling operations, results of shooting well, results of near the results of abundant of well and other impercant operations, even though the work was refuessed or the State Geologist or Oil and Gas Inspector. Reports on minor operations no Gas he signed and before a notary public, but such operations should be witnessed by an Oil and Gas concernor if assets of the signed concernor if assets of the concernor if assets of the concernor if assets of the concernor is assets of the concernor if assets of the concernor is assets of the concernor in the concernor is assets of the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the concernor is a concernor in the concernor in the

t by checking below:	aspector if possible.  teamses suture of repor		
DEFORM ON DEPLEMENTING WILLS	STREET SY RESTREETS BEITTHERS HORATIONS : STREETS OF SHEETING WILL TELOP SY RESTLE OF TEST OF WATER		
ABPORT ON THINKS OR OTHERWISH			
REPORT ON REPARTING WHILE			
	SUPPLIED ON RESULT OF ABANDONMENT		
ruce ruce some sales obtained ander the heading noted above at	Santa F. N. Mex.		
proposed plan was (was not) obtained. (Cross	The dame of this work word as follows: Notice of intention to do the work was (was not)		
ല്. നടന്ന് കുറും വിവാഹ് ജ് മുത്തെ. പ്രിച്ചു വ്രീ വ	en e		
I hereby swear or affirm that the inferration dven above is true and correct.  Name Continue Control Control Continue Company or Openior  Longony or Openior  Little Company or Openior  Little Control Contro	A Company of the Comp		
	A CONTRACTOR CONTRACTOR		

a(gil







Job separation sheet

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	RVATION CO	OMMISSION,	-nonna *el	lace siec.	NOV em Dat	<del>≱ 23. 193</del> 5	
entlemen:	Santa 1	Fe, New Mexico					
You are	hereby notif	ied that it is our in	ntention to commence	e the drilling of a	well to be known	as	
	epublic	Production	Co. Shell &	<b>Kavesty</b> Well	No. Two in	S.W.1/4	
			N. M. P. M., Mor				
_	N.		s 1987 i feet [				
		1 1	of the E & W		· /)		
			ion from section or ot	•	· ·		
			d the oil and gas leas				
	<del>-  -  -  -</del>						
If patented land the owner is Shelby & Navety.  Address Hobbs. New Mexico.  If government land the permittee is					<del>-</del>		
	<b> -</b> - -	Address					
		The lessee	is Republic I	Production (	Company.		
	1 11	i l	Petroleum Bla				
LOCATE '	A 640 ACRES WELL CORRE	O'RY W	e to drill well with				
	ools to	o to bottom					
'e propose t	o use the fol		asing and to land or		l from Houst dicated:		
Size of Hole	Size of Casing		Now on			Sacks Cement	
Size of Hole	Size of	Weight Per Foo	New or	cement them as inc	dicated:	Sacks	
Size of Hole  15-3/4, 12-1/4, 8-3/4  changes in	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisable	t New or Second Hand	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780	Landed or Cemented  Cemented  ""  or landing casing feet.	Sacks Cement  100 Cks. 400 " 200 "	
Size of Hole  15-3/4, 12-1/4, 8-3/4  changes in at the first	Size of Casing  12-1/2 9-5/8" 7"0.D."  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisable or gas sand should	New or Second Hand  New '!'  "!'  "!'  "!'  "!'  "!'  "!'  "!'	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780	Landed or Cemented  Cemented  ""  or landing casing.	Sacks Cement  100 Cks. 400 " 200 "	
Size of Hole  15-3/4, 12-1/4, 8-3/4  changes in at the first	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisable	New or Second Hand  New " " " " " " " "  Ie we will notify you do occur at a depth of	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780	Landed or Cemented  Cemented  ""  or landing casing feet.	Sacks Cement  100 Cks. 400 " 200 "	
Size of Hole  15-3/4  12-1/4  8-3/4  changes in at the first ditional information of the control	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisable or gas sand should	New or Second Hand  New '!'  !!  !!  !!  !!  !!  !!  !!  !!  !!	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780  Sincerely yours,  Republic	comented  Comented  Comented  or landing casing feet.  Production mpany or Operator	Sacks Cement  100 Cks. 400 " 200 "	
Size of Hole  15-3/4 12-1/4 8-3/4  changes in at the first ditional information of the control o	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisable or gas sand should be said to the said said should be said to the said said said said said said said said	New or Second Hand  New '!'  "!  "!  "!  "!  "!  "!  "!  "!  "!	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780  Sincerely yours,  Republication	cemented  Comented  Comented  or landing casing feet.	Sacks Cement  100 Cks. 400 " 200 "  We estimate	
Size of Hole  15-3/4 12-1/4 8-3/4  changes in at the first ditional information of the complex country as follows:	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisability or gas sand should be s	New or Second Hand  New ''  "  Ile we will notify you do occur at a depth of	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780  Sincerely yours,  Republic Corporation Field	cemented  Cemented  Cemented  ""  or landing casing feet.  Production in pany or Operator  Superintend	Sacks Cement  100 Cks. 400 " 200 "  We estimate	
Size of Hole  15-3/4  12-1/4  8-3/4  changes in at the first iditional information of the complex of the comple	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisability or gas sand should be s	New or Second Hand  New ''  "  le we will notify you do occur at a depth of the second Hand  New ''  "  If the second Hand  New or Second Hand  Ne	Depth  300 Feet 2400 " 3775 "  before cementing f about 3780  Sincerely yours,  Republication Field  Send communication	comented  Comented  Comented  or landing casing feet.  Production npany or Operator  Supprintend n regarding well to	Sacks Cement  100 Cks. 400 " 200 "  We estimate	
Size of Hole  15-3/4 12-1/4 8-3/4  changes in at the first ditional information of the complex country as follows:	Size of Casing  12-1/2 9-5/8" 7"0.D"  the above pl productive of cormation:	Weight Per Foo  49 Lbs. 36 " 24 "  an become advisability or gas sand should be s	New or Second Hand  New " " " "  Ile we will notify you lid occur at a depth of the second Hand  New " " " " " " " " " " " " " " " " " " "	Depth  300 Feet 2400 3775  before cementing f about 3780  Sincerely yours,  Republic  Con Position Field Send communication Name Republic	cemented  Cemented  Cemented  ""  or landing casing feet.  Production in pany or Operator  Superintend	Sacks Cement  100 Cks. 400 " 200 "  We estimate	

#### POTICE OF INTENTION TO DRULL

Limit to context seminate involves for those company of the independent of the context of the co

to the test 🗸 🖠	
	LE LO COLO COLO DE MANTE MANTE AL COLO COLO COLO COLO COLO COLO COLO C
	to the second of
oli il il olimine <b>rwe</b> nd ed st North hat gipt fed ond enterthico	A president of the Set Bellina Commence for
الماري المدارية المستقيد الماري المستقيد المستق	Supplied the Control of the Contr
Along the second of the second	REMEDIATION OF A STATE OF THE S
and the contract of the said with the contract of the contract	and the Market Property of the State of the
(and the department of the property of the form of the	en status en la caracteria.
the state of the control of the state of the	n. Bounded the first transfer of the second
<u>and a subject of the subject of the</u>	suits and its vertex of the same
en e	المراجع في المحمد ا المحمد المحمد المحم
	## #MS ETZ ment to regular to the control of the co
in 10 th in the world to the control of the control of	
ing and the contract of the co	。 (李國·Koron Koron Barta) — Topis (李國·Koron Koron Barta) (第1
timinibe an meni locar is Alto	TIME IN THE SECOND STREET OF THE SECOND STREET
rions things and	
tercerify tensormals services and tensormals tensormals	Markott (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997)
en de la companya de La companya de la co	
	· •
in entrophic in the property of the state of	. Protest and the first that the state of the state of
1967年,	group of the Section of the Section of the Section of
	y Allen Colored
	·
And the state of t	A provided in the control of the con
The second secon	
<u></u>	
ny utowi zadbano in noti ali sesmeno live.	เมียเลสเพรีย์ กุ <b>พลใญ้สุดพรี</b> ซีลสามากา

and the second of the second o