

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico BS OFFICE OCC

WELL RECORD 28 AM 10:02

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

	SINCLAI	Company or Op-	S COMPANY	······································	SEL	X NAVESTY LE	
ell No	1-4		•	1/4 of Sec	35 T	,,	358 , N
		. .	_				
ll is	77 0	leet from.					Vent
		_					9 /
ne of D	rilling Contrac	tor Mary	m Drilling	Company	******************************	***************************************	
ress	••••	Hobi	o, New York	A	******************************		*************************************
ation al	oove sea level a	nt Top of Tubi	ng Head	,60k	The in	formation given is t	o be kept confidential
		•••••••					
			(OIL SANDS OR 2	ONES		
1, from	Mora	<u>) </u>	to	No.	ł, from	to.	

3, from	•••••••••••••••••••••••••••••••••••••••	1		No. (5, from	to.	***************************************
			TMD	ORTANT WATER	GANDE		
ude dat	a on rate of w	ater inflow and		ch water rose in ho			
1, from	•••••		to	******************************	********	feet	
				***************************************			***************************************
3, from	••••••	********	to	***************************************		feet	***************************************
4, from	•		to			feet	***************************************
				0.0mg mm00			
	WEIGH	T NEW	OR	KIND OF	CUT AND		
SIZE	PER FO				PULLED FROM	PERFORATIONS	PURPOSE
5/8"0	D 236	T		•			Surface
	J	i				 	
			MUDDIN	G AND CEMENT	ING RECORD		
ZE OF	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED		MUD RAVITY	AMOUNT OF MUD USED
				-	1 "		MUD USED
IOLE	7_5/8*	2021	200	No.2.24 harmton			
1#	7-5/8*	3081	300	Halliburto			

BECORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TO			

ary tools	were us	ed from		leet to	J	feet, and	l from		feet to	Ie
le tools	were use	d from		feet to)	feet, and	l from		feet to	fc
					PRODU	CTION				
to Prod	ucing	•	•		19					
							harr	els of liqu	id of which	% \
L WELL										
							% water;	and	% v	was sediment. A.i
	Grav	/i ty								
s well	: The	production	during the	first 24 hou	urs was	М	I,C.F. ph	18		barrels
	liqui	d Hydrocar	bon. Shut is	n Pressure	lbs.					
wash of	_			1.0				1.		
_							ner satzaran	CEOGE	APHICAL SECTI	ON OF STATE
PLEAS	SE IND	ICATE BE	Southeast			FURMANU	E WILL	decon.	Northwestern	
Anhv		A						т.	Ojo Alamo	
-					Silurian	·		т.	Kirtland-Fruitland	•••••
					Montoya				Farmington	
			•••••		Simpson				Pictured Cliffs	
			************		McKee				Menefee Point Lookout	
					Ellenburger Gr. Wash				Mancos	
-	-							:	Dakota	
			····					Т.	Morrison	
Gioriei	_			т.					Penn	
	rd	••	*							
Drinka Tubbs.				т.	***************************************					
Drinka Tubbs. Abo				T.	***************************************			т.		***************************************
Drinka Tubbs. Abo Penn				T. T.			······································	T.		
Drinka Tubbs. Abo Penn				T. T.				T.		
Drinka Tubbs. Abo Penn Miss		Thickness		T. T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn				T. T.	FORMATIO			T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	То	Thickness in Feet		T. T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		
Drinka Tubbs. Abo Penn Miss	то	Thickness in Feet		T. T. T. T. T. T.	FORMATIO	ON RECO	RD	T. T. T.		

			7.4.* Ty						71		:
					e sheet if	400			1	all more	lone on it so far
			that the info		n herewith is	a complete	and cor	rect record o	the well as	1/2	lone on it so far
Company or Operator. Sinclair Oil & Gas Company Name. G. G. Salter Lissatti					10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						