

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

CORRECTED REPORT

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation	8. Farm or Lease Name J. R. Phillips
3. Address of Operator Drawer "D", Monument New Mexico 88265	9. Well No. 2
4. Location of Well UNIT LETTER H 1980 FEET FROM THE North LINE AND 660 FEET FROM East 1 20S 36E TOWNSHIP RANGE NMPM.	10. Field and Pool, or Wildcat Eunice-Monument (G/SA)
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

August 7 thru August 16, 1984 - Pulled rods, pump & tbq. Ran bridge plug and pkr. on 2-7/8" tbq. & set bridge plug in 6-5/8" csg. at 3665'. Set pkr. @ 3634' & pressured up on bridge plug w/1500#. Held OK. Spotted 250 gal. 7-1/2% acetic acid on 6-5/8" csg. Perf. 6-5/8" csg. opposite Grayburg San Andres zone selectively f/3578 to 3660' w/2 SPF. Acidized G/SA zone thru 6-5/8" csg. perf. f/3578' to 3660' w/2000 gal. 20% NE-FE acid in stages using rock salt as diverter. Swabbed. Set retrievable bridge plug in 6-5/8" csg. @ 3562' and spotted 250 gal. 7-1/2% acetic acid in 6-5/8" csg. Perf. 6-5/8" csg. opposite G/SA zone selectively f/3495' to 3536'. Acidized G/SA zone thru 6-5/8" csg. perfs. f/3495 to 3536' w/2000 gal. 20% NE-FE acid in two stages using rock salt as diverter. Swabbed. Changed out tbq. head. Recovered retrievable bridge plug, re-ran tbq. pump and rods and resumed production.

No test reported.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dannell Green TITLE Production Clerk DATE 10-30-84

APPROVED BY DAVID L. WILSON TITLE DATE NOV - 2 1984

CONDITIONS OF APPROVAL, IF ANY: