

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Plugging Back	X

March 8, 1949

Monument, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Amerada Petroleum Corporation State "D" Well No. 6 in the

Company or Operator _____ Lease _____
SE 1/4 NW 1/4 of Sec. 1, T. 20S, R. 36E, N. M. P. M.,
Wildcat Field, Lea County.

The dates of this work were as follows: March 6th & 7th, 1949

Notice of intention to do the work was (~~was~~) submitted on Form C-102 on March 5, 1949
and approval of the proposed plan was (~~was~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

7877' Total Depth Line. 7213' D.O.D. Ran Schlumberger E.C. Survey & Gamma Ray and checked bottom @ 7877'. Cemented with 100 Sacks Trinity Regular Cement. Picked up 2-7/8" Drill Pipe & Found top of cement at 7150' & drilled out to 7213'. Ran DST T.D. 7213' w/Packers set @ 7203' & 7207', w/5/8" Bottom & 1" Top Choke. Perf. 7207' to 7213' Tool opened at 7:12 P.M. Gas to surface in 8 Mins. Vol. to small to measure. Tool Closed at 11:12 P.M. for 1/4 hr. B.U.P. Recovered 2040' Oil, 90' Drlg. mud cut w/oil & water, 30' Sulphur water. Amerada B.T. Chart, Hydro, in 3330#, out 3220# Flow Pressure 0# to 340#, 1/4 Hr. 1420#

Witnessed by K.V. Stephenson Amerada Petroleum Corporation Foreman
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

8th day of March 1949

Name _____

Position Asst. Dist. Supt.,

Representing Amerada Petroleum Corporation

Company or Operator

My commission expires _____

Address Drawer B, Monument, New Mexico

Remarks:

Ray Garbrough
Name
Title