


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Squeezing Well	X

February 3, 1949

Date

Monument, New Mexico

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Amerada Petroleum Corporation State N.M. Well No. 6 in the _____
Company or Operator Lease
SE 1/4 NW 1/4 of Sec. 1, T. 20S, R. 36E, N. M. P. M.,
Wildcat Field, _____ Lea _____ County.

The dates of this work were as follows: February 2, 1949

Notice of intention to do the work was (was not) submitted on Form C-102 on February 2, 1949
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

7205' Total Depth, Lins. Ran Baker Model K Magnesium Cement Retainer in hole & set @ 4358' & squeezed perforations @ 4430' w/150 sacks Al Toro Reg. Cement. Pumped 10 bbls. water in formation ahead of cement w/1500# All cement pumped thru retainer except 3 bbls. @ 1800# Pressure, 2 bbls. cement squeezed in formation from pressures of 2000# to 3000# @ 10 & 15 Mins. Intervals, final squeeze pressure was 2800# with 1300# pressure held on casing during squeeze job. 138 sacks was pumped in formation, 7 sacks left below retainer, & 8 sacks reversed out @ 1:30 A.M. 2-3-49

Witnessed by K.V. Stephenson Amerada Petroleum Corporation Foreman
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

3rd. day of February 1949

Name W. H. Taylor

Position Asst. Dist. Supt.

Representing Amerada Petroleum Corporation
Company or Operator

Notary Public

My commission expires MARCH 29, 1952

Address Drawer D, Monument, New Mexico

Remarks:

APPROVED
FEB 1949

Date

W. H. Taylor
Name
Asst. Dist. Supt.
Title