

COPIES RECEIVED	
DISTRIBUTION	
DATE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
(SEE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
2. Name of Operator Amerada Hess Corporation		5. State Oil & Gas Lease No. P-1362
3. Address of Operator Drawer "D", Monument, New Mexico 88265		7. Unit Agreement Name
4. Location of Well UNIT LETTER <u>D</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>1</u> TOWNSHIP <u>20-S</u> RANGE <u>36-E</u> N.M.P.M.		8. Farm or Lease Name State "H"
		9. Well No. 1
		10. Field and Pool, or Wildcat Eunice-Monument (G-SA)
15. Elevation (Show whether DF, RT, GR, etc.)		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Pulled production equipment. Set cast iron Bridge Plug at 3720' w/ 10' cement on top. Ran GRN log from 2200' to 3718'. Perforated 7" csg. w/ two shots at the following intervals: 3523', 3525', 3527', 3547', 3561', 3581', 3592', 3610', 3616', 3641', 3671', 3696'. Total of 24 shots. Acidized perfs. 3523' to 3696' w/ 2000 gals. 15% NE Acid. Swab tested. Perforated 7" csg. w/ 2 shots at the following intervals: 3596', 3599', 3603', 3632', 3640', 3642', 3652', 3655', 3669', 3671', 3681', 3683', 3698', total of 26 shots. Acidized perfs. 3523' to 3698' w/ 3000 gals 15% NE Acid w/ball sealers. Swab tested.
Non- Commerical.
Closed All Valves and Temporarily Abandoned.

T.A. Expires 9/15/76

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John Runyan

TITLE SUPVR., ADM. SERV.

DATE SEP 12 1975

APPROVED BY John Runyan
Geologist

TITLE

DATE SEP 12 1975

CONDITIONS OF APPROVAL, IF ANY: