

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-04156 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1656-2
7. Lease Name or Unit Agreement Name NORTH MONUMENT G/SA UNIT BLK. 18
8. Well No. 15
9. Pool name or Wildcat EUNICE MONUMENT G/SA

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator AMERADA HESS CORPORATION
3. Address of Operator DRAWER D, MONUMENT, NEW MEXICO 88265
4. Well Location

Unit Letter 0 : 660 Feet From The SOUTH Line and 1980 Feet From The EAST Line

Section 2 Township 20S Range 36E NMPM LEA County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: CEMENT SQUEEZE. ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PLAN TO MOVE IN PULLING UNIT & INSTALL BOP. TIH W/7" RBP AND SET AT APPROXIMATELY 3700'. DUMP SAND ON TOP OF RBP & TEST PRODUCTION CASING. RU SCHLUMBERGER AND RUN GR/CBL TO FIND TOP OF CEMENT BEHIND 7" CASING. PERFORATE CASING ABOVE TOP OF CEMENT TO WRAP UP CASING AND ELIMINATE BRINE FLOW AND PRESSURE AT SURFACE. TIH W/PKR & SET ABOVE SQUEEZE HOLES. ESTABLISH CIRC. RATE THROUGH ANNULUS AND OBTAIN A FLUID CALIPER FOR CEMENTING VOLUMES. TIH W/CEMENT RETAINER & SET 100' ABOVE SQUEEZE HOLES. CIRC. CEMENT TO SURFACE AND SQUEEZE OFF HOLES. TIH W/6-1/8" BIT. DRILL OUT RETAINER & CEMENT & PRESSURE TEST CASING & BRADENHEAD. CIRC. SAND OFF OF RBP. TIH RETRIEVE RBP & TOH. TIH W/PRODUCTION EQUIPMENT & RETURN WELL TO PRODUCTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R. L. Wheeler, Jr. TITLE SUPV. ADM. SVC. DATE 4-30-93

TYPE OR PRINT NAME R.L. WHEELER, JR. TELEPHONE NO. 393-2144

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY DISTRICT SUPERVISOR TITLE  DATE

CONDITIONS OF APPROVAL, IF ANY:

MAY 03 1993