

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II

P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.	30-025-04157
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	B-1656-2
7. Lease Name or Unit Agreement Name	NORTH MONUMENT G/SA UNIT BLOCK 18
8. Well No.	10
9. Pool name or Wildcat	EUNICE MONUMENT G/SA

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator Amerada Hess Corporation	
3. Address of Operator P.O. BOX 840 SEMINOLE, TX 79363	
4. Well Location Unit Letter <u>J</u> : <u>1980</u> Feet From The <u>EAST</u> Line and <u>1980</u> Feet From The <u>SOUTH</u> Line Section <u>2</u> Township <u>20S</u> Range <u>36E</u> NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

2-6-98 THRU 2-17-98

MIRU DAWSON WELL SVC & STAR TOOL. TOH W/RODS & PUMP. NIPPLE DWN WELLHEAD & INSTALL BOP. TOH W/123 JTS 2-7/8" TBG, TAC, 2-7/8" SN. TIH W/5-5/8" BIT. EST. CIRC & CLEANED OUT FILL TO 3900'. CIRC HOLE CLEAN. TOH W/BIT. TIH TO STRING SHOOT OH W/500 GRAIN PRIMER CORD. TOH W/WIRELINE. TIH W/4" EXPENDABLE CSG GUN, LOADED 2 SPF, 180 DEGREE PHASING & PERFORATING 6-5/8" CSG FROM 3740' - 3772' W/65 SHOTS. AMERICAN FRACMASTER ACIDIZED PERFS. FR. 3740' - 3772' & O.H. FR. 3784' - 3900' W/4500 GAL. 17.5% NEFE ACID. SWABBED WELL. AMERICAN FRACMASTER PUMPED 20 BFW MIXED W/5 GAL. SURFATRON DP-61, 26 BBLs. GYPTRON T-57, 50 BBLs. OF CLEAN PRODUCED WATER FLUSH & 1000# ROCK SALT AS DIVERTER. PUMPED 26 BBLs. GYPTRON T-57 & DISPLACED W/100 BBLs. CLEAN PROD. WATER. CONTINUED OVER

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Colleen Robinson TITLE STAFF ASSISTANT DATE 3-12-98
TYPE OR PRINT NAME COLLEEN ROBINSON TELEPHONE NO. 915 758-6700

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

PAGE 2 - NMGSAU 1810

TIH W/6-5/8" TAC ON 2-7/8" TBG. & SET TAC AT 3683' W/20,000# TENSION & TBG. O.E.
AT 3838'. REMOVED BOP & INSTALLED WELLHEAD. TIH W/PUMP & RODS. RDP, CLEANED
LOCATION & RESUMED PUMPING WELL.

TEST OF 3-9-98: PROD. 15 B.O./D., 266 B.W./D., & 3 MCFGPD IN 24 HOURS.

15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30