Submit 3 Copies to Appropriate District Office

CONDITIONS OF APPROVAL, IF ANY:

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICTION SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THE STORM FOR PROCESSALS TO DEFLOR TO DEFERENCE AND BEACK TO A DIFFERENCE OR PLUG BACK TO A	District Office				
Santa Fe, NM 87505 S. Indicate Type of Lease STATE FEE					
DISTRICT DI 1000 Ro Brazos Rd., Aztec, NM 87410 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOGALS TO DRILL ON TO GEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE APPLICATION FOR PEMBET (FORM C-101) FOR SLICH PROPOSALS. OTHER Injection Well WELL SULL SULL SULL SULL SULL SULL SULL S				5. Indicate Type of Lease	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPASALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR, USE "APPLICATION FOR PENDIT" 1. Type of Well. OR THER INjection Well 2. Name of Operator Americal Hess Corporation 3. Address of Operator P. O. Box 840, Seminole, Texas 79360 4. Well Location P. O. Box 840, Seminole, Texas 79360 4. Well Location P. O. Box 840, Seminole, Texas 79360 5. Name of Unit Latter K. 1980 Feet From The West Line and 1980 Feet From The South Line and Unit Latter Report of District Mell 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propowork) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed well head, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed well head. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. J Descript Proposed or Completed Operations is the set of my knowledge and belief. TILE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRENT NAME ROY L. Wheeler, Jr. TILE BUS. SVC. Spec. III DATE 7-2-99 TYPE OR PRENT NAME ROY L. Wheeler, Jr. TILE BUS. SVC. Spec. III DATE 7-2-99				<u> </u>	-
(DONOT USE THIS FORM FOOR PROOPSALS TO DRILL OR TO DECEMBOR PRUG BACK TO A DIFFERENT RESERVOIR USE APPLICATION FOR FERMIT 7. Lesse Name or Unit Agreement Name North Monument G/SA Unit Blk. 18 1. Type of Well: COMM C-101) FOR SUCH PROPOSALS.) Type of Well: Will				B-1656-2	
DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROPOSALS) North Monument G/SA Unit Blk. 18 1. Type of Well: (NLL	SUNDRY NOTION				
OTHER Injection Well OTHER Injection Well	DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"			1	
2. Name of Operator Amerada Hess Corporation 3. Address of Operator P. O. Box 840. Seminole. Texas 79360 4. Well Location Unit Letter K. 1980 Feet From The West Line and 1980 Feet From The South West Commence of Notice, Report, or Other Data Subsequent Report Off: 1. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data Subsequent Report Off: 2. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data Subsequent Report Off: 2. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data Subsequent Report		OTHER I	niection Well		
3. Address of Operator P. O. Box 840, Seminole, Texas 79360 4. Well Location Unit Letter K : 1980 Feet From The West Line and 1980 Feet From The South Line and Unit Letter K : 1980 Feet From The West Line and 1980 Feet From The South Line and Unit Letter K : 1980 Feet From The West Line and 1980 Feet From The South Line and Unit Letter K : 1980 Feet From The West Line and 1980 Feet From The South Line and 1980	2. Name of Operator		ngection heri		
P. O. Box 840, Seminole, Texas 79360 4. Well Location Unit Letter K. 1980 Feet From The West Line and 1980 Feet From The South Line and 1980		<u>on</u>	 	 	
Unit Letter K 1980 Feet From The West Line and 1980 Feet From The South Line Section 2 Township 20S Range 36E NMPM Lea County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMOVED THE PORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. RDPU, cleaned location, & continued injecting water. 1. Ihreby certify that the information above is use and fumplets to the best of my knowledge and belist. SIGNATURE ROLL THE BUS. Svc. Spec. II DATE 7-2-99 TYPE OR PERINT NAME ROY L. Wheeler, Jr. TILE BUS. Svc. Spec. III DATE 7-2-99	P. O. Box 840, Seminole	e, Texas 79360		1	SA
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is type and complete to the best of my knowledge and belief. SIGNATURE ARE THE BUS. Svc. Spec. II DATE 7-2-99 TYPE OR PRONT NAME ROY L. Wheeler, Jr. TILLE BUS. Svc. Spec. II DATE 7-2-99	ν 1000	Feet From The Wes	t Line and 19	Feet From The	South Line
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is type and complete to the best of my knowledge and belief. SIONATURE ARE THE BUS. Svc. Spec. II DATE 7-2-99 TYPE OR PRONT NAME ROY L. Wheeler, Jr. TILLE BUS. Svc. Spec. II DATE 7-2-99	Section 2	Township 20S	Range 36E	_{NMPM} Lea	County
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proport work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the informations have been of my knowledge and belief. SIGNATURE TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99					
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proport work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the informations have been of my knowledge and belief. SIGNATURE TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99	11. Check Ani	//////// oropriate Box to Indic:	ate Nature of Notice	Report or Other I	<u>/////////////////////////////////////</u>
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is tixe and complete to the best of my knowledge and belief. SIGNATURE TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-677		•			
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is true and simplete to the best of my knowledge and belief. SIGNATURE TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99	П	Г	¬	ত	Г
CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water.	PERFORM REMEDIAL WORK	PLUG AND ABANDON L	☐ REMEDIAL WORK	LAJ ALTERIN	NG CASING └
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water.	TEMPORARILY ABANDON LJ	CHANGE PLANS L	COMMENCE DRILLING	OPNS. U PLUG AI	ND ABANDONMENT L
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Latter L	PULL OR ALTER CASING	,	CASING TEST AND CE	MENT JOB	
Work) SEE RULE 1103. 6-28 thru 6-29-99 MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information bove is tree and fomplete to the best of my knowledge and belief. SIGNATURE A. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-677	OTHER:		OTHER:		
MIRU Tyler Well Svc. pulling unit. Removed wellhead, installed BOP & TOH w/tbg. TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is toxe and complete to the best of my knowledge and belief. SIGNATURE IN MALE ROY L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-677		ations (Clearly state all pertinen	t details, and give pertinent da	tes, including estimated date	of starting any proposed
TIH w/tbg. replacing bad jt. Latched onto on/off tool. Circ. pkr. fluid. Removed BOP & installed wellhead. Press. tested csg. to 500 PSI for 30 min. Held Ok. Chart attached. RDPU, cleaned location, & continued injecting water. I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-67.	6-28 thru 6-29-99				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE LON LULLIUM TITLE BUS. SVC. Spec. II DATE 7-2-99 TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-677	TIH w/tbg. replacing bad BOP & installed wellhead.	jt. Latched onto on/o . Press. tested csg. to	ff tool. Circ. pkr. o 500 PSI for 30 min.	fluid. Removed Held Ok.	
SIGNATURE LON LUMBER AND L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TELEPHONE NO. 915 758-677				.*• .	
SIGNATURE LON LUMBER AND L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TELEPHONE NO. 915 758-677					
SIGNATURE LON LUMBER AND L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TELEPHONE NO. 915 758-677					
SIGNATURE LON LUMBER AND L. Wheeler, Jr. TITLE BUS. SVC. Spec. II DATE 7-2-99 TELEPHONE NO. 915 758-677					
TYPE OR PRINT NAME ROY L. Wheeler, Jr. TELEPHONE NO. 915 758-677		// /	rledge and belief.		
	SIGNATURE Un till leer	lle	TITLE Bus. Svc. Spec.	II DATE	· 7-2-99
(This space for State Use) ORIGINAL S.C. ED AT DECES WILLIAM. DISTRICT SCIENCES OF DECES WILLIAM.	TYPE OR PRINT NAME (ROY L. Wheeler	<u>, Jr</u>		TELEPHON	ENO. 915 758-6778
DISTANCE	(This space for State Use) ORIGINAL S. C. EO	PA DEEDS WILLIAM SCIERV SOF			WIF 79 1882
APPROVED BY	APPROVED BY DISTARDA TO		TITLE	DATE	



