

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. NA
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A-1375
7. Lease Name or Unit Agreement Name State "A"
8. Well No. 2
9. Pool name or Wildcat Monument San Andrés

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator Mobil Producing Tx. & N.M. Inc.
3. Address of Operator c/o Mobil Exploration & Producing U.S. Inc. P. O. Box 633, Midland, Texas 79702	4. Well Location Unit Letter B : 660 Feet From The North Line and 1980 Feet From The East Line Section 2 Township 20S Range 36E NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3603 KDB	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: Run CBL's over prod. casing ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) MIRU PU. POH w/rods. ND WH. NU BOP. POH w/2-7/8 tbg.
- 2) RIH w/gauge ring for csg. RIH w/RBP for csg & set @ ±3700. Load hole w/2% KCL wtr & press up to 500 psi. Release press.
- 3) RU Schlumberger. Run CBL from ±3700-3200 w/0 psi on casing. If log indicates micro-annulus, then press up to 100 psi & rerun log.
- 4) RIH w/tbg & ret tool. Rel RBP & POH. RIH w/2-7/8" prod. tbg. RIH w/rods & pump. Check pump action. Turn well over to prod.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Judy Dixon TITLE Environmental and Regulatory DATE 12/2/91
TYPE OF PRINT NAME Judy Dixon TELEPHONE NO. (915) 688-2452

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: