

ARTIFACT COPY

LAB CHIEF

(SUBMIT IN TRIPLICATE)

Lease No. 030143-A

UNITED STATES

Unit NO FU

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO	REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO	ITARY WELL HISTORY	
NOTICE OF INTENTION T	Subsequent Report of Plugging	
NOTICE OF INTENTION I		X

ILLEGIBLE

PT. NOT. E. OR OTHER DATA)

Reed A-3 #5

N.M. November 10, 1944

Well No. 5 is located 2310 ft. from N line and 2210 ft. from E line of sec. 3

NE/4 Sec. 3 20-S 36-E N.E.P.M.

Monument Lea

New Mexico

The elevation of the derrick floor above sea level is ft.

RECEIVED

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing; indicate mudlogging jobs; cementing points, and all other important proposed work)

Baker cement retainer was set at 3770' & cemented with 60 sacks cement. Perforated 5 1/2" casing from 3760 - 3770' with 10 shots, from 3610-3620' with 10 shots, from 3620'-3695' with 5 shots, 3460 - 3465' with 5 shots, from 3425-3435' with 10 shots, from 3315 - 3325' with 10 shots, from 3302 - 3307' with 5 shots, from 3230'-3240' with 10 shots, from 3125' - 3165' with 10 shots, from 3065 - 3075' with 10 shots, from 2990 - 3000' with 10 shots, from 2970 - 2977' with 7 shots. After perforations, tested no oil, gas or water. Then spotted 455' of aquagel from 3770'-3315', acidized with 1000 gallons 20% acid from 3315'-3065'. Blew well dry with outside gas. Showed no oil, gas or water.