

UNITED STATES
DEPARTMENT OF THE INTERIORSUBMIT IN THIS MANNER
(Other instructions on reverse side)

Budget Bureau No. 42-R1424.

GEOLOGICAL SURVEY COPY TO O. C.

5. LEASE DESIGNATION AND SERIAL NO.

LC-046164 (a)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. NAME OF OPERATOR Amerada Hess Corporation	
3. ADDRESS OF OPERATOR Drawer D, Monument, New Mexico 88265	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 589' FNL & 731' FWL	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3576 DF

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
H.W. Andrews9. WELL NO.
8

10. FIELD AND POOL, OR WILDCAT

Eunice-Monument G/SA

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

12-20S-36E

12. COUNTY OR PARISH
Lea13. STATE
N. Mex.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☒SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Nov. 1978

Pulled equipment, GO Inc. selectively perf. 8-5/8" csg. opposite Grayburg San Andres zone fr. 3773' to 3839' w/21 -25gm. glass jet shots. Ran pkr. on 2-7/8" tbg. & acidized Grayburg San Andres zone thru 8-5/8" csg. perf. fr. 3740' to 3849' w/6500 gal. NE-FE acid using diverter. Swabbed load. Attempted to pull tbg. & pkr. No results. Cut 2-7/8" tbg. at 3683'. Fished & recovered pkr. Re-ran prod. equipment & resumed pumping.

Test of 10-31-78: Pumped 37.5 b.o. & 37.5 b.w. in 24 hours.

RECEIVED

AUG 15 1979

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

E.B. Riker

TITLE Supv. Adm. Ser.


DATE 8-31-79

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE



*See Instructions on Reverse Side

100-100000-100000

RECEIVED
AUG 21 1973
O.C.D. HOBBS, OFFICE