

**NEW MEXICO OIL CONSERVATION COMMISSION**  
Santa Fe, New Mexico

**MISCELLANEOUS REPORTS ON WELLS**

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON Squeeze & (Other) Acidize	<b>X</b>

December 14, 1954  
(Date)

Monument, New Mexico  
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation  
(Company or Operator)

H.W. Andrews Lease  
(Lease)

Albright Well Service  
(Contractor)

Well No. 8 in the NW  $\frac{1}{4}$  NW  $\frac{1}{4}$  of Sec. 12

T. 20-S, R. 36-E, NMPM, Monument Pool, Lea County.

The Dates of this work were as follows: 9-27-54 to 10-5-54

Notice of intention to do the work (was) ~~(was)~~ submitted on Form C-102 on October 8, 19 54  
(Cross out incorrect words)

and approval of the proposed plan (was) ~~(was)~~ obtained.

**DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED**

**10827' T.D. 3860' PBD**

Pulled pump & rods. Tested & pulled tubing. Set Baker Model "K" CI retainer @ 3865' w/1-1/2 sacks cement on top. Tested casing with 1000# - OK. Squeezed 8-5/8" OD casing perforations w/75 sacks regular cement. Perforated 8-5/8" OD Casing from 3800' to 3828' w/ 112 jet shots. Broke down formation with 40 barrels of oil pumped into perforation 3800' to 3828' w/1600# pump pressure. Acidized 8-5/8" OD casing perforations from 3800' to 3828' w/500 gallons 15% regular acid. Swabbed tubing. Pull and run tubing w/seating nipple. Run pump & rods. Put well to pumping & pumped up in five (5) minutes.

**10-10-54 - Pumped 55.91 bbls. oil & 18.64 bbls. water in 24 hours on  
14 - 54" SPM.**

Witnessed by E.E. Shirley  
(Name)

Amerada Petroleum Corporation  
(Company)

Farm Boss  
(Title)

Approved: OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name M. Smith

Position Foreman

Representing Amerada Petroleum Corporation

Address Drawer D - Monument, New Mexico

(Title)

(Date)