


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	X
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

June 15, 1948,

Monument, New Mexico.

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Amerada Petroleum Corporation W. P. Byrd Well No. 4 in the

NE $\frac{1}{4}$ NW $\frac{1}{4}$ Company or Operator of Sec. 12, T. 20S, R. 36E, N. M. P. M.,
Monument Field, Lea County.

The dates of this work were as follows: June 13th and 14th., 1948.

Notice of intention to do the work was (~~was~~) submitted on Form C-102 on June 7, 1948
and approval of the proposed plan was (~~was~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

3862' plugged back depth, Re-ran ~~2 7/8"~~ 2 7/8" OD Tubing 122 joints to 3850' with 6 5/8" x x 2 1/2" Guiberson Type G-2 Control Head Packer set at 3718' and swabbed 9 1/2 hours and recovered 153.20 barrels of fluid 100% water, Pulled Tubing and ran Dowell Spinner Survey and at 3820 to 3830 took 16.7 gallons of fluid per minute and on bottom 3862' took 13.3 gals per minute, pressured up to 2000# and broke down to 1600#, showed that plastic was not holding, Rigged up and drilled out Elastic to 3878' and will plug back with plastic.

Witnessed by C. E. Telge, Amerada Pet. Corp., Farm Boss
Name Company Title

Subscribed and sworn before me this

15 day of June 1948

Will Hails Taylor
Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name *Don Toppe*

Position Asst. Dist. Supt.

Representing Amerada Pet. Corp.,
Company or Operator

My commission expires

Address Drawer D, Monument, New Mexico.

Remarks:

Ray Yunker
Notary Public

APPROVED 7 1948

Title

1154