

HOBBS OFFICE OCC

NEW MEXICO OIL CONSERVATION COMMISSION
MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1955 AUG 10 11 05 AM 7:46)

Company Amerada Petroleum Corporation - Drawer D - Monument, New Mexico
(Address)

Lease State "NM" Well No. 2 Unit J S 13 T 20-S R 36-E

Date work performed June 22 to July 7, 1955 POOL Monument

This is a Report of (Check appropriate block) ☐ Result of Test of Casing Shut-off

☐ Beginning Drilling Operations

☐ Remedial Work

☐ Plugging

☒ Other Acidize and Sand-Off

Detailed account of work done, nature and quantity of materials used and results obtained.

3865' T.D.

Pulled 2-7/8" OD EUE tubing, Ran 3-1/2" OD EUE casing and Acidized open hole from 3778' to 3865' with 500 gallons. 1% LST Acid. Sand-Oiled open hole from 3778' to 3865' with 15,000 gallons of oil and with 15,00 lbs. of sand. Pulled 3-1/2" OD EUE casing and reran 2-7/8" OD EUE tubing set at 3856', packer at 3692'. Swabbed well. Put well to pumping.

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

Original Well Data:

Sea Elev. 3555' TD 3815' PBD - Prod. Int. 3778' to 3865' Compl. Date 5-22-37
Tbng. Dia. 2-7/8" Tbng. Depth 3856' Oil String Dia. 6-5/8" Oil String Depth 3801'
Perf. Interval (s) -

Open Hole Interval 3778' to 3865' Producing Formation (s) 3778' to 3865'

RESULTS OF WORKOVER:

	BEFORE	AFTER
Date of Test	<u>6-19-55</u>	<u>8-6-55</u>
Oil Production, bbls. per day	<u>90.00 Bbls.</u>	<u>16.97 Bbls.</u>
Gas Production, Mcf per day	<u>136,656</u>	<u>33,915</u>
Water Production, bbls. per day	<u>-</u>	<u>226.00</u>
Gas-Oil Ratio, cu. ft. per bbl.	<u>1518</u>	<u>1995</u>
Gas Well Potential, Mcf per day	<u>-</u>	<u>-</u>

Witnessed by W.C. Smith Amerada Petroleum Corporation
(Company)

Oil Conservation Commission

Name W. H. Armstrong

Title Oil & Gas Inspector

Date AUG 15 1955

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name W. H. Smith

Position Foreman

Company Amerada Petroleum Corporation