

(Feb. 1951) **1-36-E**

(SUBMIT IN TRIPLICATE)

Land Office

Las Cruces, N.M.

Lease No. _____

046164 (A)

Unit

Hazel Welff Andrews

304100 223

140000
20
3

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 19, 1955

Well No. 9 is located 1980 ft. from NE line and 1980 ft. from W line of sec. 23

NE/4 SW/4 Sec. #23
(1/4 Sec. and Sec. No.)

~~20-3~~
(Twp.)

36-E
(Range)

N.M.P.
(Meridian)

Abstract

(Field)



(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

<u>SIZE HOLE</u>	<u>CASING</u>	<u>WEIGHT</u>	<u>NEW OR S.F.</u>	<u>DEPTH</u>	<u>HOW SET</u>	<u>SACKS CEMENT</u>
12-1/4"	8-5/8"	32#	New	1400'	Cemented	900
7-7/8"	5-1/2"	15.5#	New	3700'	Cemented	800

It is our intention to drill this well to an approximate depth of 4000' and test the Queen section. Rotary type drilling equipment will be used. We plan to drill with gas from the bottom of the 8-5/8" OD casing at 1400', to the fluid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Amerasia Petroleum Corporation**

Address Drawer D

Monument, New Mexico

By

Title _____ Foreman