



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las Cruces, N.M.Lease No. 046164 (A)Unit Hazel Wolff Andrews

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 11 is located 1980 ft. from N line and 1980 ft. from W line of sec. 23
C-SE/4, NW/4 #23 20-S 36-E N.M.P.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Elmout Lee New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft. Not determined

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SIZE HOLE	CASING	WEIGHT	NEW OR SH	DEPTH	HOW SET	SACKS CEMENT
12-1/4"	8-5/8"	32#	New	1400'	Cemented	900
7-7/8"	5-1/2"	15.5#	New	3700'	Cemented	800

It is our intention to drill this well to an approximate depth of 4100' and test the Queen section. Rotary type drilling equipment will be used. We plan to drill with gas from the bottom of the 8-5/8" OD casing at 1400' to the fluid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Amerada Petroleum CorporationAddress Drawer D
Monument, New MexicoBy M. Smith
Title Foreman