

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico OFFICE GOO

#355 €EP © ## 9:39

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

	E WELL CORR							
T. F. Hodge (Company or Operator)				L. E. Elliottatte				
11 No	1	, inSE	ofSE	, of Sec27	, T	.206 R	3 6E NMP	
				Pool,	Los		Cour	
							Sou th	
Section	27	If Sta	ate Land the Oil and	Gas Lesse No.	is4B	17584		
lling Com	menced	July 12,	1	9 55 . Drilling	was Completed.	August-l,	, 19 5	
me of Drill	ling Contracto) r	Flooger-R	lley Drilli	ng-Govy-In	•		
dress	500 5_0 :	reenville.	Avenue, Ball	My-Totals			***************************************	
vation abov	ve sea level at	Top of Tubing	Head3589		The inf	ormation given is to	be kept confidential u	
			, 19					
			OIL	SANDS OR Z	ones			
. 1, from	3 935	to	4075	No. 4	, from	to		
			TMPOR	TANT WATER	SANDS			
clude data	on rate of wa	ter inflow and	clevation to which v					
						feet		
o. 2, from			to			feet		
			to					
o. 4, from			to	*******************************	***************************************	feet		
				CASING RECO	Rn			
	WEIGH	r NEW C		KIND OF	CUT AND			
SIZE	PER FO			SHOE	PULLED FROM	PERFORATIONS	PURPOSE	
5/8	2h# 15+5#	<u>Her</u>	3191	Raker		3061,_81,	Surface	
4/4	13+5H	Kert	4000	58,55		3998-4005	1100000000	
			MUDDING	AND CEMENT	ING RECORD			
	SIZE OF	WHERE	NO. SACES OF CEMENT	METHOD		MUD	AMOUNT OF MUD USED	
SIZE OF	CASTWO	9.1				44047 4 4 4 4 4 4		
HOLE	CASING	37.04						
HOLE	8 5/8 7 7/8*	3101	250 800					
2 1/h	8 5/8	3101	250					

SCORD OF DRILL-STEM AND SPECIAL T. S

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach herete

TOOLS USED

			Surface feet to 408					
Cable to	ols were	used from	feet to	feet, a	nd from		feet to	fee t .
			3	PRODUCTION				
Put to P	roducing	Augu	s t 17.	• 55				
OIL WI	71.11. 11	The producti	on during the first 24 hours was	11/0	l			61
OIL WI							-	
			34.6 - 37		% wate	er; and	% was s	ediment. A.P.I.
G 4 G 147			* •					
GAS WI			on during the first 24 hours was		M.C.F. p	olus		barrels of
			carbon. Shut in Pressure					
_								
PLE	CASE II	NDICATE I	BELOW FORMATION TOPS (II	N CONFORMAN	CE WIT	H GEOGI		
T 4.1	1	E22 -	Southeastern New Mexico				Northwestern New	
	• .	·		1			•	
		-					Kirtland-Fruitland	
			•				Farmington	
			•				Menefee	
	_	-		zer			Point Lookout.	
				1.,			Mancos	
T. San	Andres						Daketa	
T. Glor	ieta		T	T. Mozrison				
T. Drin	kard		Т	·····		т.	Penn	
T. Tub	bs		т		•••••••	т.		********
T. Abo.	•••••	-	т	••••••		Т.	***************************************	
T. Penr	a	••••••••	T		•	Т.		··
T. Miss			т			т.	***************************************	
				ATION RECO				
From	То	Thickness in Feet	Formation	From	То	Thicknes in Feet	s Formatio	n .
0	1533	1533	Sh. and Sand					
1533	1650	117	Anhy					
1650	2942	1292	Salt					
2942 3935	3935 4080	993 145	Hard Sand & Shale Sand & Same Shale				•	
)7 <i>)</i> 7	#OCO	145	DATES OF CHIEF INTERTO					
			-4					
				-				
	· · · · · · · · · · · · · · · · · · ·			II.	<u></u>		<u> </u>	
			ATTACH SEPARATE SHEE	ET IF ADDITION	NAL SP	ACE IS N	EEDED	
T L.		-	4.		•	_		

	· · · · · · · · · · · · · · · · · · ·
ATTACH SEPARATE SHEET IF A	ADDITIONAL SPACE IS NEEDED
I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	
•	September 6, 1955
Company of On A B B 18 3	(Date)
Company of Operator	Address
Name Company of Operator T. F. Hodge Name	Position or TitleSecretary-Bookkeeper