

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico FICE OCC

# WELL<sup>95</sup>RECORD M 8:07

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES LOCATE WELL CORRECTLY

....., 19......

.....

	CHA	DE OIL COMPA	NY			SU Stat			
•••••••		(Company or Opera	tor)			(Le		••••••••••••••••••••••••	
Well No	1	, in <b>SE</b>			<b>13</b> , 1	r. <b>20</b>	, R	<b>3</b> 6	, NMPM.
		Wildcat		Pool,	Lea				County.
				line and					
of Section	33	If Sta	ite Land the Oil	and Gas Lease No.	is	1297	••••		
Drilling Co	ommenced	May 28		, 19	g was Comple	ted	me 7		, 19 <b>54</b>
Name of D	orilling Contra	actor	Gackle Dr	illing Compar	v		••••••••••••		
Address		Hobb	s, Nev Mex	100					
Elevation a	bove sea level	at Top of Tubing	Head		The	information gi	ven is to	be kept con	fidential until

#### **OIL SANDS OR ZONES**

No. 1, from	<b>3950</b>	No. 4, fromto
No. 2, from	to	No. 5, fromto
No. 3, from	to	No. 6, fromto

## IMPORTANT WATER SANDS

Include data on rate of water inflo	w and elevation to which water rose in	n hole.	
No. 1, from	to	feet.	
No. 2, from	to	feet.	
No. 3, from	to	feet.	
No. 4, from	to	feet.	

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4	40	New	256				
							· · · · · · · · · · · · · · · · · · ·

#### MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED
15	10 3/4	256	175	Halliburton		
<u> </u>						

RECORD OF PRODUCTION AND STIMULATION
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)
NONE
Result of Production Stimulation

` **k**e

Depth Cleaned Out.....

#### \* YORD OF DBILL-STEM AND SPECIAL TE\* 3

-...

	If drill-stem or other special tests or	deviation surveys wen	e made, submit report on	separate sheet and attach hereto
		TOOLS	USED	
Rotary tools	were used from) 0	cet to 3960	feet, and from	feet tofeet.
Cable tools	were used fromf	eet to	feet, and from	feet tofeet.
		PRODU	OTION	
Put to Prod	ucing Plugged and Abandon	ed June 8, 19	)54	
OIL WELL	: The production during the first 2	4 hours was	barrels	of liquid of which
	was oil;% v	vas emulsion;	% water; an	d% was sediment. A.P.I.
	Gravity			
GAS WELL	L: The production during the first 2	4 hours was	M.C.F. plus	barrels of
	liquid Hydrocarbon. Shut in Pres			
Township of	Time Shut in			
PLEAS	SE INDICATE BELOW FORMAT Southeastern N		FORMANCE WITH G	EOGRAPHICAL SECTION OF STATE): Northwestern New Mexico
T. Anhy		T. Devonian		T. Ojo Alamo
	3340			
T. Yates	3560	T. Simpson		T. Pictured Cliffs
T. 7 Rive	rs <u>3830</u>	T. McKee	•••••	T. Menefce
T. Queen		T. Ellenburger		T. Point Lookout
T. Gravbi	Irg	T. Gr. Wash		T. Mancos

	Grayburg				
	San Andres				
	Glorieta				
	Drinkard				
	Tubbs				
	Abo				
Т.	Penn	Т.		T.	
Т.	Miss	Т.	4	T.	

## FORMATION RECORD

From	То	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0 1476 1900 2565 2951 3340 3549 3619 <b>3</b> 792 3830	1476 1900 2565 2951 3340 3549 3619 3792 3830 3960		Red Bed Red rock and gyp Anhydrite and salt Salt Salt, Anhy, Gyp Anhydrite Anhydrite and lime Anhydrite and gyp Anhydrite and lime Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. June 10, 1954

$\sim$	(Date)
Company or Operator	Address
Name Vilas Helon	Position or Title