

COPIES RECEIVED	
TRIBUTION	
FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

<p><b>SUNDY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
<p>1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-</p>		<p>5. State Oil &amp; Gas Lease No.</p>
<p>2. Name of Operator <b>Millard Deck</b></p>		<p>7. Unit Agreement Name</p>
<p>3. Address of Operator <b>P. O. Box 1047, Eunice, New Mexico 88231</b></p>		<p>8. Farm or Lease Name <b>State WE "G"</b></p>
<p>4. Location of Well UNIT LETTER <b>H</b> <b>1980</b> FEET FROM THE <b>North</b> LINE AND <b>660</b> FEET FROM THE <b>East</b> LINE, SECTION <b>34</b> TOWNSHIP <b>20S</b> RANGE <b>36E</b> N.M.P.M.</p>		<p>9. Well No. <b>1</b></p>
<p>15. Elevation (Show whether DF, RT, GR, etc.)</p>		<p>10. Field and Pool, or Wildcat <b>Eumont Queen</b></p>
<p>12. County <b>Lea</b></p>		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Drilled out bridge plug and cement from 3400' to 4285'.
2. Perforated at the following intervals:  
4240' back to 3998'  
4140' back to 3978'  
3880' back to 3768'  
3600' back to 3520'
3. Restimulated using 7,000 gallons of acid, 148,000 gallons gelled water and 1 1/2#s sand per gallon of water.
4. Put well on to pump.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Millard Deck TITLE Owner-Operator DATE August 14, 1974

APPROVED BY Joe D. Ramey TITLE Dist. I, Supv. DATE AUG 26 1974

CONDITIONS OF APPROVAL, IF ANY: