

N. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

<p align="center"><b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small></p>		<p>5a. Indicate Type of Lease          State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
<p>6. Name of Operator  <b>GULF OIL CORPORATION</b></p>		<p>5. State Oil &amp; Gas Lease No.  <b>B-230-1</b></p>
<p>7. Unit Agreement Name</p>		<p>8. Farm or Lease Name  <b>R.R. Bell (NCT-I)</b></p>
<p>9. Well No.  <b>2</b></p>		
<p>10. Field and Pool, or Wildcat  <b>Eumont</b></p>		<p>11. County  <b>Lea</b></p>
<p>12. Elevation (Show whether DF, RT, GR, etc.)  <b>3595' GL</b></p>		

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER <u>Perforate &amp; Acidize New Eumont</u> <input checked="" type="checkbox"/>		OTHER <u>Intervals; Acidize Existing Eumont Zone</u> <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3885' TD

Pull producing equipment. Perforate new Eumont intervals 3619-21', 3658-60', 3686-88' & 3714-16' with (4) 1/2" JHPF. Run treating equipment. Test tubing. Straddle new perfs & acidize 3619' - 3716' with 1500 gallons of 15% NE HCl iron-inhibited acid & 1200 gals of pad containing 2# 100 Mesh SPG & 20#/1000 gallons Adomite Aqua in 5 stages. After 1st three stages, divert 50/50 mix Benzoic Acid flakes & rock salt. Straddle & acidize existing Eumont perfs 3745-70' with 1000 gallons acid & 500 gallons pad. Swab test. Pull treating equipment. Run producing equipment. Return well to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>J. B. Schaefer Jr.</u>	TITLE <u>Area Engineer</u>	DATE <u>08-03-78</u>
APPROVED BY <u>Jerry Seaton</u>	TITLE <u>Dist 1, Superv.</u>	DATE <u>AUG 10 1978</u>

CONDITIONS OF APPROVAL, IF ANY:

*Expires 8/10/79*

RECEIVED

AUG 9 1978

GIL CONSERVATION COMM.  
HONOLULU, HI HI