

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name	
2. Name of Operator Atlantic Richfield Company		8. Farm or Lease Name Ida White	
3. Address of Operator P. O. Box 1710, Hobbs, New Mexico 88240		9. Well No. 2	
4. Location of Well UNIT LETTER J 2310 FEET FROM THE East LINE AND 1650 FEET FROM THE South LINE, SECTION 35 TOWNSHIP 20S RANGE 36E NMPM.		10. Field and Pool, or Wildcat Eumont Yates 7RQ	
15. Elevation (Show whether DF, RT, GR, etc.) 3554' GR		12. County Lea	



Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 3900', PBD 3880'. Present perfs 3758-3880'.
Propose to open additional perfs in same zone and stimulate in the following manner:
1. Rig up, kill well, install BOP & POH w/completion assy.
2. RIH w/pkr, set above present perfs & acidize w/2400 gals 50/50 xylene-15% HCL-LSTNE acid w/iron sequestrant agent. POH w/pkr.
3. Perforate Eumont Yates 7Rivers Queen zone 3613-3711'.
4. RIH w/pkr & BP, set BP @ 3730' & pkr above new perfs. Breakdown perfs 3613-3711' w/N₂ & acidize w/3000 gals 15% HCL-LSTNE acid w/iron sequestrant cont'g 1000 SCF N₂/bbl.
5. Retrieve BP & POH w/pkr. RIH w/completion assy, swab test & return to production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED 	TITLE Dist. Drlg. Supt.	DATE 11/29/76
APPROVED BY 	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		

DEC 1 1976

RECEIVED

NOV 3 1976
OIL CONSERVATION COMM.
HOBBS, N. M.