

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

HOBBS OFFICE OCC

1957 NOV 6

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission, or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) <b>fracture treat</b>	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICOHobbs, New Mexico  
(Place)November 6, 1957  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

**Gulf Oil Corporation** (Company or Operator) **R. R. Bell (NCT-F)** Well No. **4** in **C** (Unit)  
**NE**  $\frac{1}{4}$  **NW**  $\frac{1}{4}$  of Sec. **36**, T. **20-S**, R. **36-E**, NMPM, **Eunice** Pool  
**Lee** County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

In order to increase production it is proposed to plug back, fracture treat as follows:

1. Pull tubing. Run steel line measurement, if warranted clean out with sand pump.
2. Run Gamma Ray Neutron survey. Plug back with Hydromite to point determined by survey.
3. Run 2-7/8" tubing with formation packer. Treat formation beneath packer with 10,000 gallons refined oil with 1/4 sand per gallon. Block fractured zone with crushed mothballs in lease oil. Treat formation with 10,000 gallons refined oil with 1/4 sand per gallon.
4. Pull tubing and packer. Run 2-3/8" tubing and return well to production.

Approved....., 19.....  
Except as follows:Approved  
OIL CONSERVATION COMMISSION

By.....

Title.....

Gulf Oil Corporation

Company or Operator

By.....

Position..... Area Supt. of Prod.

Send Communications regarding well to:

Name..... Gulf Oil Corporation

Address..... Box 2167, Hobbs, New Mexico