

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fc, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

.....Depth Cleaned Out.....

	CATE WELL (
		ridew (Com	pany or Op	Dil Company	·	Stat	HAI"			
Well No	2					15 _T	198	150) D	37Ē	
	*******************************			Eumont	Pool,	······ 1		, K Lea		, NMP
Well is			feet from	We	st line an	, 1980			North	Coun
	15		Tf (State I and the C	Dil etal Gez Lesse 1	B-23	eet 30	irom	7*48**************	li
Orilling Co	mmenced	Dе	cember	· 8	, 1956 Dril	40. u	Dece	nher 2	······································	
Name of D	rilling Contr	actor	***********	M	akin Drillin	g Company	Q		***************************************	, 19
Address	rining Contr	actor	***************	В	ox 1628	Hobbs New L	exi.co		***************************************	•••••••
Elevation a	hove sea leve	l at Tor	o of Tubi	U	36531					**************
		. at 10 ₁	, OI 1 UDI	19		Inc is	niormation giv	en is to	be kept confid	lential un
				• • • • • • •						
	201	ΩI		202	OIL SANDS OR					
					2 t No					
lo. 2, from	•••••••		t		No	. 5, from	***************************************	to	***************************************	***************
No. 3, from		••••••	t		No	. 6, from		to		************
				IM	PORTANT WATI	ER SANDS				
nclude dat	a on rate of	water is	nflow and		nich water rose in h					
lo. 1, from	•			to	•••••		feet	•••••••		
lo. 4, from										
lc. 4, from										
Ic. 4, from										
SIZE	WEIG PER F	HT		or l	CASING REC					
SIZE	WEIG	нт оот	NEW (or l	CASING REC	ORD CUT AND	fcet		PURPO)SE
size 8–5/8**	WEIG PER F	HT	New Use	OR AMOU	CASING REC	CUT AND PULLED FROM	PERFORA	TIONS	PURPO Surface	pipe
	WEIG PER F	HT	NEW (USE)	OR AMOU	CASING REC	ORD CUT AND PULLED FROM None	PERFORA	TIONS	PURPO	pipe
size 8–5/8**	WEIG PER F 22.7	HT	New Use	OR AMOU	CASING RECONT HIND OF SHOR Texas Pattern Baker	ORD CUT AND PULLED FROM None	PERFORA	TIONS	PURPO Surface	pipe
size 8–5/8* 5–1/2*	WEIG PER F 22.7	HT	New Use	ок 3721 39651	CASING RECONT HIND OF SHOR Texas Pattern Baker	ORD CUT AND PULLED FROM None None	PERFORA	TIONS	PURPO Surface	pipe
size 3–5/8**	WEIG PER F 22.7	e wh	New Use	ок 3721 39651	CASING RECONT RIND OF SHOR Texas Pattern Baker Float Col	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA	TIONS	PURPO Surface	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0	e wh	New Use New New	OR AMOU! 372! 3965! MUDDI	CASING REC RIND OF SHOE Texas Pattern Baker Float Col NG AND CEMEN	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA None 3910 -3	TIONS	PURPO Surface Production	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8*	er was	New New New New 21	MUDDD No. SACES OF CEMENT 275 Reg.	CASING RECONT SHOE Texas Pattern Baker Float Col MG AND CEMEN METROI USED Plug	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA None 3910 -3	TIONS	PURPO Surface Production	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0	e. WH	New New New 21	MUDDIO NO. SACES OF CEMENT 275 Reg.	CASING RECONT RIND OF SHOE Texas Pattern Baker Float Col MG AND CEMEN METROI USED Plug	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA None 3910 -3	TIONS	PURPO Surface Production	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8*	er was	New New New 21	MUDDII No. SACES OF CEMENT 275 Reg. 300 (50-50) diemix & 4 700 incor	CASING RECORD RIND OF SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA None 3910 -3	TIONS	PURPO Surface Production	pipe n Stri
SIZE 3-5/8* 5-1/2* SIZE OF	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8*	жит оот е	New New 21	MUDDIO NO. SACES OF CEMENT 275 Reg. 300 (50-50 diamix & 4 700 incor RECORD of	CASING RECORD RING OF SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug	ORD CUT AND PULLED FROM None None TING RECORD	PERFORA None 39101-3	922 ¹	PURPO Surface Production	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8*	##T 000T	New New New Record th	MUDDII No. SACES OF CEMENT 275 Reg. 300 (50-50) diamix & L. 700 incor RECORD of	CASING RECONT SHOE Texas Pattern Baker Float Col MG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Flug No. of Qu. or Go	ORD CUT AND PULLED FROM NONE NONE TING RECORD AND STIMULAT	PERFORA None 3910 -3	922 ¹	PURPO Surface Production	pipe n Stri
SIZE 3-5/8* 5-1/2* SIZE OF HOLE 2-1/4*	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8* 5-1/2*	were some some some some some some some som	New New New Record that this	MUDDII NO. SACES OF CEMENT 275 Reg. 300 (50-50) diamix & 14 700 incor RECORD of the Process used, well nature	CASING RECONT SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Flug Freate No. of Qu. or Garal. Treate	ORD CUT AND PULLED FROM NONE NONE TING RECORD AND STIMULAT als. used, interval d perforation	PERFORA None 3910'-3 MUD RAVITY TION treated or sho	922 ¹	PURPO Surface Production AMOUNT OF MUD USED	pipe n Stri
SIZE OF HOLE	WEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8* 5-1/2*	who we see the	New New New Record that this	MUDDII NO. SACES OF CEMENT 275 Reg. 300 (50-50) diamix & 4 700 incor RECORD of the Process used, well nature 500 gals.	CASING RECONT SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Freate No. of Qu. or Garal. Treate	ORD CUT AND PULLED FROM None None TING RECORD AND STIMULAT als. used, interval d perforation and sandfra	PERFORA None 3910'-3 MUD RAVITY TION treated or sho	922 ¹ 0t.) 3910 ¹	PURPO Surface Production AMOUNT OF MUD USED	pipe n Stri
SIZE OF HOLE	SIZE OF CASING 8-5/8* Did not on 12-2 refined	where coor 377 396	New New New Record that this with	MUDDIO NO. SACKS OF CEMENT 275 Reg. 300 (50-50 diemix & 4 700 incor RECORD of the Process used, Well nature 500 gals.	CASING RECONT SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Freate Treate regular acid d. Cement c	ORD CUT AND PULLED FROM None None TING RECORD AND STIMULAT als. used, interval d perforation and sandfra	PERFORA None 3910'-3 MUD RAVITY TION treated or sho one from 1	922 ¹ 0t.) 3910 ¹	PURPO Surface Production AMOUNT OF MUD USED	pipe n Stri
SIZE OF HOLE	SIZE OF CASING 8-5/8* Did not on 12-2 refined	where coor 377 396	New New New Record that this with	MUDDIO NO. SACKS OF CEMENT 275 Reg. 300 (50-50 diemix & 4 700 incor RECORD of the Process used, Well nature 500 gals.	CASING RECONT SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Freate No. of Qu. or Garal. Treate	ORD CUT AND PULLED FROM None None TING RECORD AND STIMULAT als. used, interval d perforation and sandfra	PERFORA None 3910'-3 MUD RAVITY TION treated or sho one from 1	922 ¹ 0t.) 3910 ¹	PURPO Surface Production AMOUNT OF MUD USED	pipe n Stri
SIZE 3-5/8* 5-1/2* SIZE OF HOLE 2-1/4* 7-7/8*	VEIG PER F 22.7 15.5 14.0 SIZE OF CASING 8-5/8* 5-1/2* Did not on 12-2 refined	where contract is the state of	New New New Record the this with and line to beh	MUDDIO NO. SACES OF CEMENT 275 Reg. 300 (50-50) diamix & 4 700 incor RECORD of the Process used, well nature 500 gals.	CASING RECONT SHOE Texas Pattern Baker Float Col NG AND CEMEN METHOD USED Plug Flug Flug Flug Flug Flug Freate Treate regular acid d. Cement c	ORD CUT AND PULLED FROM None None TING RECORD AND STIMULAT als. used, interval d perforation and sandfra irculated to	PERFORA None 3910'-3 MUD RAVITY TION treated or sho ms from ced w/ 15 surface	922 ¹ ot.) 3910 ¹ on 8-4	AMOUNT OF MUD USED	pipe n Stri

ORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tool	ls were use	ed from	O feet t	. 3970' T.D	e.feet, and	from		feet to	feet.		
Cable tools	were used	i from	leet (110.11					
				PRODUC	TIUN						
Put to Pro			nuary 5,								
OIL WEL					barrels of liquid of which. 10						
	was	oil;	% was	emulsion;	9	% water;	and	% w	as sediment. A.P.I.		
	Grav	ri ty	3 6.8								
GAS WEL	.L. The	production	during the first 24 ho	urs was	M	.C.F. plu	S	•••••	barrels of		
GAS WEE			rbon. Shut in Pressure								
	_										
						~~ ~~~~	OWOCD /	ADDICAT SECTIO	N OF STATE).		
PLEA	SE IND	ICATE BE	ELOW FORMATION Southeastern New		ORMANC	E WITH	GEUGRA	Northwestern N			
T. Anhy.		15 L0	T.				т. с	Ojo Alamo			
•			T	Silurian							
B. Salt		0003	т.	Montoya							
T. Yates.		30 E3	тт					Pictured Cliffs			
			rose) 3778! T								
T. Grayb	ourg	3951'	Т			***************************************					
			Т								
			T	•							
			T								
			Т								
T. Miss.			Т	FORMATIO			т.				
				FORMATIO	N RECO		Thickness				
From	То	Thickness in Feet	Forma	tion	Front	Го	Thickness in Feet	For	mation		
0 475 1085 1392 1575 2740 3425 3580 3625 3803	475 1085 1392 1575 2740 3425 3580 3625 3803 3970	475 610 307 183 1165 685 155 45 178 167	Surface Rock Red Bed & She Red Bed & Anh Anhy. Anhy. & Salt Anhy. Anhy. & Gyp. Gyp. & Anhy. Lime Dolo. & Sand	lls y•	DEPTH						
·	-	<u>'</u>	ATTACH SEPA	RATE SHEET IF	ADDITIO	NÀL SP	ACE IS 1	NEEDED			
Ŧ L	Verebu eur	ar or affir							work done on it so fa		
			n that the information	- 0	•	complete and correct record of the well and all work done on it so fa					
					***************************************	,		anuery 8, 195	(Date)		
Compai	ny or Ope	rator	Tidewater Oil	Company	Address	В	ox 547	bobbs, N	ew Mexi.co		
			gu						rintendent		