

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
LE		
S.G.S.		
AND OFFICE		
PERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION  
**3-NMOCC**  
**1-Midland**  
**1-File**

Form C-103  
 Supersedes Old  
 C-102 and C-103  
 Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name	
STATE "J"	
9. Well No.	
1	
10. Field and Pool, or Wildcat	
EUNICE MONUMENT	
12. County	
LEA	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER- ☐

1. Name of Operator  
**GETTY OIL COMPANY**

3. Address of Operator  
**P.O. BOX 249, HOBBS, NEW MEXICO 88240**

4. Location of Well  
 UNIT LETTER **E**, **1980** FEET FROM THE **N** LINE AND **660** FEET FROM  
 THE **WEST** LINE, SECTION **17** TOWNSHIP **19** RANGE **37** NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)  
**3717 D.F.**

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set CI bridge plug at 3220'. Ran tubing open-ended to 3214'. Circulated hole with mud. Spotted 12 sack cement plug on top of BP. PBTD @ 3160'. Could not pump into 7" X 9-5/8" annulus with 1000#. Laid 20 sack cement plug from 1296' back to 1196' (100' plug) in 7" casing. Perforated 7" with 4 holes @ 1000'. Ran cement retainer and set @ 925'. Mixed 185 sacks cement and obtained circulation of cement at surface out of 7" X 9-5/8" annulus. Trapped 700# on cement and pulled out of retainer. Dumped approximately one sack cement on top of retainer. Checked 7" X 9-5/8" annulus. No pressure or flow. (Full of set-up cement). Laid 10 sack cement plug in top of 7". Installed dry hole marker.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY:

SIGNED C.L. Wade C. L. Wade TITLE AREA SUPERINTENDENT DATE JANUARY 21, 1976

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

LG/bh

REDE 20

JAN 27 1975

CONSTRUCTION

