

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-05654
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1589-1
7. Lease Name or Unit Agreement Name NORTH MONUMENT G/SA UNIT BLK. 6
8. Well No. 5
9. Pool name or Wildcat EUNICE MONUMENT G/SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator AMERADA HESS CORPORATION
3. Address of Operator DRAWER D, MONUMENT, NM 88265	4. Well Location Unit Letter <u>E</u> : <u>1980</u> Feet From The <u>NORTH</u> Line and <u>660</u> Feet From The <u>WEST</u> Line Section <u>20</u> Township <u>19S</u> Range <u>37E</u> NMPM LEA County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5-10-93 THRU 5-25-93

MIRU DA&S WELL SER. & TOH W/RODS & PUMP. INSTALLED BOP & TAGGED BOTTOM AT 3965' FOR 31' OF FILL & TOH W/TBG. RAN A 6-1/8" BIT TO 3,856' & TOH. RAN A 7" X 2-7/8" BAKER LOC-SET RBP & SET PLUG AT 3,800'. STAR TOOL LOADED & CIRC. CASING CLEAN W/225 BBLs. FRESH WATER. PRESS. UP ON CASING TO 600 PSI. LEAKED 100 PSI IN 3 MIN. RAN A 7" X 2-7/8" BAKER FULLBORE PACKER SET AT 3,767' & PRESS. UP ON RBP TO 2500 PSI. HELD OK. PULLED PACKER TO 2,448' & PRESS. UP ON CASING BELOW PACKER TO 600 PSI. HELD OK. LEAK IN THE CASING IS BETWEEN 2,448' AND THE SURFACE. FOUND PRESSURE ON THE 9-5/8" INTERMEDIATE CASING AND A LEAK IN THE INT. WELLHEAD. TOH W/PACKER. REMOVED BOP. K&S PAINTING SAND BLASTED THE WELLHEAD DOWN TO THE SURFACE CASING. STAR TOOL RAN A SPEAR & PULLED 85,000 PSI ON 7" CSG. REMOVED WELLHEAD DOWN TO THE SURFACE PIPE. JARREL SER. RAN A FREE POINT ON THE 7" PRODUCTION CASING AND FOUND PIPE WAS 100% FREE DOWN TO 2,550'. INSTALLED A NEW WELLHEAD ON 9-5/8" INTERMEDIATE AND

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R. L. Wheeler, Jr. TITLE SUPV. ADMIN. SERV. DATE 6-24-93
TYPE OR PRINT NAME ROY L. WHEELER, JR. TELEPHONE NO. 393-2144

(This space for State Use)

Orig. Signed by
Paul Kautz
Geologist

APPROVED BY _____ TITLE _____ DATE JUN 28 1993

CONDITIONS OF APPROVAL, IF ANY: