

COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B 1559	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation		8. Farm or Lease Name State "L"
3. Address of Operator Drawer D, Monument, New Mexico 88265		9. Well No. 1
4. Location of Well UNIT LETTER <u>E</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>20</u> TOWNSHIP <u>19 S</u> RANGE <u>37 E</u> NMPM.		10. Field and Pool, or Wildcat Eunice Monument G/SA
15. Elevation (Show whether DF, RT, GR, etc.) 3661' DF		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>
REMEDIAL WORK <input checked="" type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOBS <input type="checkbox"/> OTHER <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work! SEE RULE 1103.

6-1-83 to 6-9-83: Pulled rods, pump & tbg. Checked top of fill in open hole at 3971'. Ran sand pump and cleaned out frac sand f/3971' to 3996'. String shot open hole f/3870' to 3983' w/400 gm. per ft. Perf/ G/SA zone in open hole w/80 gm. glass jet shots as follows: 3870', 3872', 3874', 3890', 3892', 3914', 3916', 3928', 3938', 3940', 3952', 3954', 3960', 3970', 3975' and 3983'. Left 68' of strip carrier in hole and fished same. Ran pkr. and tbg. and set pkr. @ 3821', tested tbg. to 2000#. Held OK. B.J. Hughes acidized G/SA zone in open hole f/3850' to 3996' w/2500 gal. 15% NEFE acid in stages using rock salt as diverter. Flushed w/KCl water. Swabbed load. Re-ran tbg., pump and rods and resumed pumping.

Test of 6-21-83: Pumped 3 B0 and 102 BW in 24 hrs. on 11-43" SPM.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dorrell Green TITLE Production Clerk DATE 6-23-83

APPROVED BY JERRY SEATON DISTRICT 1 SUPERVISOR TITLE Supervisor DATE 6-23-83

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JUN 24 1983

G.C.D.
HOBBS OFFICE