
NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

instructions in the Rules and Regulations of	of the Commission.	teport by Checking Be				
	Indicate Nature of A	eport by Checking De	20W			
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RE		REPORT ON REPAIRING WEL	.r	-	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) DUAL CO	EPI.FFTON	,: T	
			1 00.00	:1	 -	
	May	7, 1955	Monne	un men t iri New	- Marri as	
	(Da	ite)		(Place)	IMEAL SE	
Following is a report on the work do	one and the results obtain	ned under the heading	noted above at the			
Amerada Petroleum Corpo:	ration	State NTH (Lease)				
Bateman & Whitsitt Well						
(Contractor)		, Well No	/4/4	34 /4 of bcc	,	
T. 19-S., R. 37-E., NMPM.,	Konwont	Pool,	I_ee		County.	
The Dates of this work were as folows:		-2-55	***************************************			
Nation of intention to do the work (was)	SECURITY submitted on Fo	orm C-102 on	lay 4. 1955		19	
Notice of intention to do the work (was)	submitted on re	7.11 O 102 OII	(Cross out incorrect words)		, , , , , , , , , , , , , , , , , , ,	
and approval of the proposed plan (was)	was not) obtained.					
DETAILE	ED ACCOUNT OF WOR	K DONE AND RESU	LTS OBTAINED			
3997' T.D.			<i>プ</i> シ	- John Co.	1	
					_	
Perforated 6-5/8" OD casing 80 jet shots. Ran 6 jednts 7/8 Perforations from 3508 to 3 jedical 6-5/8" OD casing perforations of edl and 19,000 lk 21/64 choke. Absolvan straight thru teol.	of 2-7/8" OD EU at 3785", PSI Too 3600' and from 36 prations from 350 os. of mand. Swa	E 7 122 joints 1 set at 3782', 18' to 3646' w/ 8' to 3600' and bbed well in: 1	of 3-1/2" OD EUE . "cidized 6-5/8 /500 gallens 15% i 3618' to 3646' Flowed at rate of	E tubing P OD casi acid. San w/10,000 2,746,00	ing nd-	
Approved: OH, CONSERVATION CO	DMMISSION	(Company)	nat the information given a	title) Forema E		
11. J Manky	£	Name	former			
(Name)	0	Position	orema-n-			
Mark the state of		Representing.	erada Petroleum C	orporatie	X3	

Address Drawer D - Monument, New Mexico







Job separation sheet

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOURS OF FOR COC

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

tional instructions in the Rules and Regul		^{n.} f Notice by Checki	ng Below	
Notice of Intention to Change Plans	Notice of Intention to Temporarily Abandon Well		Notice of Intention to Drill Deeper	
Notice of Intention to Plug Well	Notice of Intention to Plug Back		Notice of Intention to Set Liner	
Notice of Intention to Squeeze	Notice of Intenti	ION	Notice of Intention to Shoot (Nitro)	
Notice of Intention to Gun Perforate	Notice of Intenti (Other)	r Complete	Notice of Intention (Other)	
OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO Gentlemen: Following is a Notice of Intention to	Manumen t.,	(Place)	May 4, 1955	
Following is a Notice of Intention to Amerada Petrolema Corpo (Company or Operator)	en certain work as descri	ribed below at the	Well No	
(40-acre Subdivision) /4 of Sec	, T. 19-S	., R. 37-E ,NI	MPM.,Kenmen t	(U nit) Poc
Los C	ounty.			
FU (FOLLO)	LL DETAILS OF P W INSTRUCTIONS II	ROPOSED PLA N THE RULES A	N OF WORK ND REGULATIONS)	9.J
OD EUE Tubing with dual acid. If necessary sand 10,000 pounds of sand. sand through the casing.	completion equi	ipment and Ad	perferating th 6-5/8" (arese) fermation. Run 3- didise w/500 gallons of x 9,000 gallons of dil and gas from Lower Queen (Pe	-1/2" Pegular Parose)
Except as follows:		Ву ///	Company or perator	
Approved DIL CONSERVATION COMMISSION		Position Far	end Communications regarding well	to:
3y			rada Petroleum Corporatio	
Title	***************************************	AddressDra	mer.D Monument, New Mes	ci.00