					The second se	o
FORM C-105 N.		ON RECOR		ATION COM		
	PORMATION		64.d 173	THET IN IN FEE	<u> </u>	Motta
	-		Santa Fe, New	Mexico	•	
	-					
			WELL REC	ORD		
-	_			· -		
				a Fe, New Mexico, pletion of well. Follo		
	in the Ru	ies and Regulati		ssion. Indicate que		
AREA 640 ACRES LOCATE WELL CORRECTL	-		OODMII IN II	AIFEIOATE.		
			77.	ouston, Tex	rts.6	
Humble 011 &	y or Operator	······································	*******************************	Address		***************************************
N.M. State "E"	Well No	in S	W-1/4 of	Sec. 21	19~<	South
Lease R. 37-East , N. M. F	Monument.	N. W	. Lea			
Well is 3300 feet sout	. M.,	. 4620 .	α,		Section 21	County.
If State land the oil and g						
If patented land the owner i	is		, А	ldress		
If Government land the per The Lessee is Humble	oil & Refini	ng Come	nv	Idress Hous	ton. Texas	3
The Lessee is Hendle	27-36		, A	Idress 12-1	8-36	
Name of drilling contractor	Gerdner Brot	19	illing was comp	Dallas,	Texas	19
Name of drilling contractor Elevation above sea level a	36	57 35677	, Address			•••••
The information given is to					•	
		IL SANDS OR	ZONES			
No. 1, from 3876		285 No.	4, from	to		
No. 2, from	to	No	5, from	to		***************************************
No. 3, from	to	No.	6, from	to		
	IMP	DRTANT WAT	ER SANDS			
Include data on rate of w	vater inflow and eleva	tion to which	water rose in he	ole.		
No. 1, from						
No. 2, from				_		
No. 3, from						
No. 4. from						
		CASING RE	CORD			
SIZE WEIGHT THE PER FOOT PE	HREADS MAKE A	MOUNT KINI	OF CUT & F	TILLED PERF	ORATED	WID DOG T
				FROM	TO	PURPOSE
10-3/4" 35.75#	8 SS S		zas Patte			
7-5/8" 26.40# 5-1/2" 17.00#	10 SS		lliburtor			
5-1/2 17.007	70 20	U / ESCU LIK		<u> </u>		
2" KUSE 4.70#	Tubing	3970				
<u> </u>			1			
		0010				
	•					
	•		ENTING RECOF	RD.		
SIZE OF SIZE OF HOLE CASING WHERI	MUDDI				MOUNT OF MUI	USED
HOLE CASING WHERE	MUDDI NO. SACKS OF CEMENT	NG AND CEM	ISED MUL	GRAVITY A	81.7.2	
13-1/4"10-3/4"	MUDDI NO. SACKS OF CEMENT 215 100	METHOD U	sed Mul	GRAVITY A	MOUNT OF MUI	
13-1/4"10-3/4" 9-7/8" 7-5/8" 1	MUDDI NO. SACKS OF CEMENT	NG AND CEM	sed Mul	GRAVITY A	36 tons u	
13-1/4"10-3/4" 9-7/8" 7-5/8" 1	MUDDI E SET NO. SACKS OF CEMENT 215 100 426 400	METHOD THE HALLID	sed Mul	GRAVITY A	36 tons u	
13-1/4"10-3/4" 9-7/8" 7-5/8" 1	MUDDI NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Hallibu Hallibu	rton]	GRAVITY A	36 tons u	
13-1/4"10-3/4" 9-7/8" 7-5/8" 1 4-3/4" 5-1/2" 3	MUDDI E SET NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Halliby Halliby Halliby	rsed Murinton 1 irton 1 irton 1	GRAVITY A .0.0# .0.5#	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 5-1/2" 3"	MUDDI NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Hallibu Hallibu Hallibu Length	rsed Mullirton] irton] irton] DAPTER8	GRAVITY A LO.0# LO.5# LO.5# Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1 4-3/4" 5-1/2" 3	MUDDI NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Hallibu Hallibu Hallibu Length	rsed Mullirton] irton] irton] DAPTER8	GRAVITY A LO.0# LO.5# LO.5# Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1 4-3/4" 5-1/2" 3 Heaving plug—Material	MUDDI NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Hallibu Hallibu Hallibu Length Size	rsed Mullirton] irton] irton] DAPTER8	GRAVITY A LO.0# LO.5# LO.5# Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 15-1/2" 3" Heaving plug—Material Adapters—Material	MUDDI E SET	METHOD U Halliby Halliby Halliby LUGS AND A Length Size	INTERNATION DAPTERS	GRAVITY A LO.0# LO.5# Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1 4-3/4" 5-1/2" 3 Heaving plug—Material	MUDDI E SET	METHOD U Hallibu Hallibu Hallibu Length Size	rton] rton] rton] DAPTER8	GRAVITY A LO.0# LO.5# LO.5# Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 15-1/2" 3" Heaving plug—Material Adapters—Material	MUDDI E SET	METHOD U Halliby Halliby Halliby LUGS AND A Length Size	INTERNATION DAPTERS	Depth Se	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 15-1/2" 3" Heaving plug—Material Adapters—Material	MUDDI E SET NO. SACKS OF CEMENT 215 100 426 400 740 100 RECORD OF 8 EXPLOSIVE OR CHEMICAL USED	METHOD U Halliby Halliby Halliby LUGS AND A Length Size HOOTING OR	IRTON INTON	Depth Se EATMENT DEPTH SHOT OR TREATED 3985	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 15-1/2" 3" Heaving plug—Material Adapters—Material	MUDDI E SET NO. SACKS OF CEMENT 215 100 426 400 740 100 RECORD OF 8 EXPLOSIVE OR CHEMICAL USED DO WALL X	METHOD U Hallibu Hallibu Hallibu Hallibu Length Size HOOTING OR	ISED MULTON JUSTON Just	Depth Se EATMENT DEPTH SHOT OR TREATED 3985	36 tons u	sed in
13-1/4"10-3/4" 9-7/8" 7-5/8" 1/4" 15-1/2" 3" Heaving plug—Material Adapters—Material	RECORD OF S EXPLOSIVE OR CHEMICAL USED Downll X MUDDI NO. SACKS OF CEMENT 215 100 426 400 740 100	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby Clugs and a Length Size HOOTING OR QUANTITY 1000 2000	ISED MULTON INTON	Depth Se Depth Se Depth Se A Depth Se B Depth Se Depth Se Depth Se Depth Se Depth Se Depth Se	DEPTH CLEAN	NED OUT
13-1/4"10-3/4" 9-7/8" 7-5/8" L 4-3/4" 5-1/2" 3 Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or chemical	RECORD OF S EXPLOSIVE OR CHEMICAL USED Downll X mical treatment	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby And A Length Size HOOTING OR QUANTITY 1000 2000	DAPTERS DATE 12-20-3 d at the	Depth Se Depth Se Depth Se A 3985 A 3985 A 3985 A 3985 A 3985	DEPTH CLEAN	NED OUT
13-1/4*10-3/4* 9-7/8* 7-5/8* 1/4* 9-7/8* 7-5/8* 1/2* 3' Heaving plug—Material Adapters—Material SIZE SHELL USED	RECORD OF S EXPLOSIVE OR CHEMICAL USED Downll X mical treatment	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby And A Length Size HOOTING OR QUANTITY 1000 2000	DAPTERS DATE 12-20-3 d at the	Depth Se Depth Se Depth Se A 3985 A 3985 A 3985 A 3985 A 3985	DEPTH CLEAN	NED OUT
13-1/4"10-3/4" 9-7/8" 7-5/8" L 4-3/4" 5-1/2" 3 Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or chemical	RECORD OF 8 EXPLOSIVE OR CHEMICAL USED Downll X mical treatment tubing on	METHOD THE HALLID HOOTING OR QUANTITY 1000 2000 HILLID HOUR TO HOUR	ISED MULTON INTON INTON INTON INTON INTON INTON INTON INTON INTON INTO INTO	Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 36	DEPTH CLEAN	NED OUT
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2	RECORD OF STATE OF CHEMICAL USED Downll X RECORD OF STATE OF CHEMICAL USED	METHOD TO HALLIDO HALLIDO HALLIDO HALLIDO CONTROL OR CONTROL C	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st.	Depth Se LO.5# Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 36	DEPTH CLEAN	NED OUT
13-1/4"10-3/4" 9-7/8" 7-5/8" L 4-3/4" 5-1/2" 3 Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or chemical	RECORD OF STATE OF CHEMICAL USED Downll X RECORD OF STATE OF CHEMICAL USED	METHOD TO HALLIDO HALLIDO HALLIDO HALLIDO CONTROL OR CO	DAPTERS CHEMICAL TR DATE 12-20-3 d at the st. AND SPECIAL made, submit re	Depth Se LO.5# Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 36	DEPTH CLEAN	NED OUT
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2	RECORD OF STATE OF CHEMICAL USED Downll X Downll X Downll X RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED	METHOD II Halliby Halliby Halliby Halliby Halliby Halliby Halliby Alliby Halliby Halli	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted	Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate	DEPTH CLEAN barrels]	NED OUT
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from	RECORD OF STATE OF CHEMICAL USED Downll X Downll X RECORD OF STATE OF CHEMICAL USED	METHOD TO Halliby Hooting or Quantity 1000 2000 Hillstem Surveys were Tools Useet to 39	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted	Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 38 TESTS Eport on separate	barrels sheet and attac	NED OUT Der hour the hereto.
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2	RECORD OF STATE OF CHEMICAL USED Downll X Downll X RECORD OF STATE OF CHEMICAL USED	METHOD TO Halliby Hooting or Quantity 1000 2000 Hillstem Surveys were Tools Useet to 39	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted	Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 38 TESTS Eport on separate	barrels sheet and attac	NED OUT Der hour the hereto.
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from	RECORD OF STATE OF CHEMICAL USED Downll X Downll X RECORD OF STATE OF CHEMICAL USED	METHOD TO Halliby Hooting or Quantity 1000 2000 Hillstem Surveys were Tools Useet to 39	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit reserved and feet, an	Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 38 TESTS Eport on separate	barrels sheet and attac	NED OUT Der hour the hereto.
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from	RECORD OF STATE OF CHEMICAL USED Downll X mical treatment RECORD OF STATE OF STAT	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby PLUGS AND A Length Size HOOTING OR QUANTITY 1000 2000 LI flower Tools U Seet to 39 Seet to PRODUCT	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit reserved and feet, an	Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 Tate of 38 TESTS Eport on separate	barrels sheet and attac	NED OUT Der hour the hereto.
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from Cable tools were used from	RECORD OF STATE OF CHEMICAL USED Downll X Downll X Downll X RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF CHAMBER OF CHEMICAL USED RECORD OF CHAMBER OF CHAMBER OF CHEMICAL USED	METHOD U Halliby Halli	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit reserved in the second	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Eport on separate rom	DEPTH CLEAN barrels sheet and attack feet to feet to	NED OUT ch hereto. feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or chethrough open 2 If drill-stem or other spectors were used from the color were used from	RECORD OF STATE OF CHEMICAL USED Downll X mical treatment RECORD OF STATE OF STAT	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby Halliby Halliby Halliby PLUGS AND A Length Size HOOTING OR QUANTITY 1000 2000 LI flowe hour te DRILL-STEM Surveys were TOOLS U Seet to PRODUCT 19	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the steel	Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Poort on separate From From	barrels j sheet and attac	NED OUT Per hour teet feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from the color will be put to producing the production of the first	RECORD OF STATE TO THE PROPERTY AND STATE TO	METHOD U Halliby Halliby Halliby Halliby Halliby Halliby Halliby Halliby Halliby Augustity 1000 2000 Length Size Hooting or QUANTITY 1000 2000 Length Size Hooting or Size Front Size Front Size Size Size Size Size Size Size Size	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted feet, and feet, and for feet, and fe	Depth Se EATMENT Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom which 99.8 35.2 at 60	barrels] sheet and attace feet to feet to degrees	NED OUT Ch hereto. feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from #111 be Put to producing The production of the first emusion; % were	RECORD OF STATE OF CHEMICAL USED Downll X Downll X MIDDITION RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED Downll X MICHIEL TO THE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF CHEMICAL	METHOD TO Halliby Hall	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted feet, and feet, and for feet, and fe	Depth Se EATMENT Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom which 99.8 35.2 at 60	barrels] sheet and attace feet to feet to degrees	NED OUT Ch hereto. feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or cher through open 2 If drill-stem or other spectors were used from the color were used from the producing the producing of the first emusion; % Will gas well, cu. ft. per 24 h	RECORD OF STATE OF CHEMICAL USED Downll X Downll X MIDDITION RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED Downll X MICHIEL TO THE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF CHEMICAL	METHOD TO Halliby Hall	TION AND SPECIAL made, submit resisted feet, and feet, and for a feet, a feet	Depth Se EATMENT Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom which 99.8 35.2 at 60	barrels] sheet and attace feet to feet to degrees	NED OUT Ch hereto. feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from the producting from The production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is	RECORD OF SEARCH OF CHEMICAL USED Downll X Downll X Downll X MIDDITION RECORD OF SEARCH OF	METHOD TO Halliby Hall	TION AND SPECIAL made, submit resisted feet, and feet, and for a feet, a feet	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom which 99.8 35.2 at 60 er 1,000 cu. ft. of g	barrels j sheet and attac	NED OUT Ch hereto. feet feet
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from the production of the first emusion; % W It gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is	RECORD OF STATE OF CHEMICAL USED Downll X Downll X MIDDITION RECORD OF STATE OF CHEMICAL USED RECORD OF STATE OF CHEMICAL USED Downll X MICHIEL TO THE CHEMICAL USED RECORD OF STATE OF CHEMICAL USED RECORD OF	METHOD I Halliby Halliby Halliby Halliby Halliby Halliby Halliby PLUGS AND A Length Size HOOTING OR QUANTITY 1000 2000 Ll flowe hour te Tools I eet to PRODUCT 19 5 sediment. Ge EMPLOY Driller	TION AND SPECIAL made, submit respect, and feet, and for a feet, a fe	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom rom Clark	barrels barrels sheet and attace feet to feet to feet to gas	NED OUT Ch hereto. feet feet %
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from the production of the first emusion; % W It gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is	RECORD OF STATE TO STATE THE PROPERTY 1. 1937 t 24hours was 3 vater; and 2 ours and 2 created and 2	METHOD TO Halliby Hall	TEED MULTON INTON INTONI	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate From From From Clark	barrels barrels sheet and attace feet to feet to feet to gas	NED OUT Ch hereto. feet feet %
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from the production of the first emusion; % W It gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is	RECORD OF STATE TO STATE THE PROPERTY 1. 1937 t 24hours was 3 vater; and 2 ours and 2 created and 2	METHOD TO Halliby Hall	TION AND SPECIAL made, submit respect, and feet, and for a feet, a fe	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate From From From Clark	barrels barrels sheet and attace feet to feet to feet to gas	NED OUT Ch hereto. feet feet %
Heaving plug—Material Adapters—Material Results of shooting or chethrough open 2 If drill-stem or other spectors were used from the production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. if hereby swear or affirm	RECORD OF STATE TO THE PROPERTY IN THE PROPERT	METHOD TO Halliby Hall	INTON INTON INTON INTON INTON INTON DATE 12-20-3 12-21-3 d at the standard, submit resisted Standard, submit resisted Standard, submit resisted Standard, submit resisted AND SPECIAL made, submit resisted AND SPECIAL made, submit resisted Standard, s	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom rom Clark	DEPTH CLEAN barrels sheet and attack feet to feet to was oil; degrees gas	NED OUT Ch hereto. feet feet feet The state of the s
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from Cable tools were used from The production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is Coorge Lewis H. N. Ingrai	RECORD OF STATE TO THE PROPERTY IN THE PROPERT	METHOD TO Halliby Hall	INTON INTON INTON INTON INTON INTON DATE 12-20-3 12-21-3 d at the standard, submit resisted Standard, submit resisted Standard, submit resisted Standard, submit resisted AND SPECIAL made, submit resisted AND SPECIAL made, submit resisted Standard, s	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate rom rom rom Clark	DEPTH CLEAN barrels sheet and attack feet to feet to was oil; degrees gas	NED OUT Ch hereto. feet feet feet The state of the s
Heaving plug—Material Adapters—Material Results of shooting or chethrough open 2 If drill-stem or other spectors were used from the production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. if hereby swear or affirm	RECORD OF STATE AND STATE	METHOD TO Halliby Hall	TION AND SPECIAL made, submit resisted fluid of feet, and feet, and feet, and for the feet of the fee	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Poort on separate from rom which 99.8 35.2 at 60 er 1,000 cu. ft. of grade i. Clark	barrels j sheet and attace feet to feet to feet to feet to feet to feet to	NED OUT Ch hereto. feet feet feet all work
Heaving plug—Material Adapters—Material Results of shooting or chethrough open 2 If drill-stem or other spectors were used from the production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. if hereby swear or affirm	RECORD OF SET OF CEMENT 215 100 426 400 740 100 RECORD OF SET OF CHEMICAL USED DOWNIL X DOWNIL X MICHIGAN ON SET OF CHEMICAL USED RECORD OF SET OF CHEMICAL USED RECORD OF SET OF CHEMICAL USED OUTS TO THE SOME OF CHEMICAL USED RECORD OF SET OF CHEMICAL USED RECORD OF SET OF CHEMICAL USED OUTS TO THE SOME OF CHEMICAL USED TO THE SOME OF CHEMICAL USED	METHOD TO Halliby Hall	TION AND SPECIAL made, submit resisted fluid of feet, and feet, and feet, and for the feet of the fee	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Poort on separate from rom which 99.8 35.2 at 60 er 1,000 cu. ft. of grade i. Clark	barrels barrels sheet and attached to feet to feet to of the well and	NED OUT Ch hereto. feet feet feet all work
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from Cable tools were used from Cable tools were used from The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is Loope Lawing H. N. Ingrain I hereby swear or affirm done on it so far as can be	RECORD OF SEARCH OF CHEMICAL USED Downll X Downll X Downll X Downll X PRECORD OF SEARCH OF	METHOD TO Halliby Hall	INTON INTON INTON INTON INTON INTON DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resists SED 85 feet, and for feet and	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Poort on separate from rom which 99.8 35.2 at 60 er 1,000 cu. ft. of grade i. Clark	barrels j sheet and attace feet to feet to feet to feet to feet to feet to	NED OUT Ch hereto. feet feet feet all work
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 If drill-stem or other spec Rotary tools were used from Cable tools were used from Cable tools were used from If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is Leaving Leaving The production of the first emusion; When the production of the first emusion; The production of the first emusion; If gas well, cu. ft. per 24 h Rock pressure, lbs. per sq. is Leaving Leaving Thereby swear or affirm done on it so far as can be	RECORD OF SEARCH OF CHEMICAL USED Downll X Downll X Downll X Downll X PRECORD OF SEARCH OF	METHOD TO Halliby Hall	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit resisted fluid of feet, and fee	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Sport on separate from from Clark DEPTH SHOT OR TREATED A Separate Tom Tom Tom Tom Tom Tom Tom To	barrels barrels sheet and attace feet to feet to feet to feet to continued the well and becomber 39	NED OUT Ch hereto. feet feet feet all work
Heaving plug—Material Adapters—Material SIZE SHELL USED Results of shooting or che through open 2 Rotary tools were used from Cable tools were used from Cable tools were used from The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The production of the first emusion; Will be Put to producing The producin	RECORD OF SEARCH OF CHEMICAL USED Downll X Downll X Downll X Downll X PRECORD OF SEARCH OF	METHOD I Halliby Hour te Outhor te Tools I Heet to 39 Heet to 39 Heet to 39 Heet to 49 Heet to 49 Heet to 49 Heet to 59 Heet to 59 Heet to 69 Heet to 69 Heet to 69 Heet to 79 Heet	DAPTERS CHEMICAL TR DATE 12-20-3 12-21-3 d at the st. AND SPECIAL made, submit reserved and from section fluid of the section of the se	Depth Se Depth Se Depth Se EATMENT DEPTH SHOT OR TREATED 3985 3985 TESTS Poort on separate from rom which 99.8 35.2 at 60 er 1,000 cu. ft. of grade i. Clark	barrels barrels sheet and attace feet to feet to feet to comber 30 printendent	NED OUT Ch hereto. feet feet feet fall work 1936

Company or Operator
Drawer "N" - Midland, Texas.

Representing.

Address.

6/1/37

My Commission expires...

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	Santa Fe,	FORMATION	
0	51	51	Caliche	And Andrew Controlled	
51.	118	67	Sand and ca	liche	
118	220	108	Red beds	Milital CTV 1 Labor excusion wheelening is	<u> </u>
220	590	370	Red rock		
590		Se 15 6/480 mg	7- Conservation Commander to the contract of t		
1070	tac (388 štēsup st 1345	(0.60)	Hed rock	valieरे पूर्व	i ANEA, 640 ACCATE WELL
1345	1365	. 80	Anhydrite b		LOCATE WELL
1365	1442	77.	Anhydrito	पर्यस्य भ्रम् । १५ ५४६ वर्ष ः ।	
	14.55	13			
1448,0			Salb.	N. N. P. M., Cantal and Co feet south of the Worth live <u>r</u>	
1455	1500	45	Annyuri to a	a salt W ook at or o regions do a	
1500	1720	280	Selt	the owner is	
1720	1775	55	Anhydrite	ថា ÷បានសេ ខ ្មាល់ ស្រែងជ • • • • • • • • • • • • • • • • • • •	
1775	2480	: 705 .555	my "Salt er	Tool Spor	einae put. " : t
2480	2686	206	Anhydrite	in the same of the	geffitish by electric Zodenia (taka)
2686	2818	132	Broken anhy		officers of the
2818	2894	76	LIVE STREETHER NO.		
2 894	3018	124	Broken anhy	lrite of	(in 1, 100m)
3018	30 68 ::	50	Lime and enl		MG 14 1 M 7 M 7 M 7 M 7 M 7 M 7 M 7 M 7 M 7 M
3068	34.24	356	Broken lime	•	
3 4.84	3456	32		enter de la	e stra limi.
3456	3590	134	Broken lime		ER 1
3590	3647	57			110 A 12 12 12 12 12 12 12 12 12 12 12 12 12
3647		1	Lime		olombia (n. 1865). Santa de la composição d
	3672	25	aldma gray	and the second of the second o	
3672	3745	40 73 3	Line 2	A STATE OF THE STA	10 % 1424 / 1720 P
3745	3791	46	Lime gray		
3791	3880	39	Line		
3830	3850	20	Lime gray		
3850	3876	26	Lime		
3 876	39.08	38	Broken 11mo	and the communications to the communication of the	en e e e e e e e e e e e e e e e e e e
39 08	3938	30	DENTINATED SWA DEL	The second secon	
39 <i>3</i> 8	3985	47	Broken lime	### ### ### ### ######################	MA CONTRACTOR
	f + .	TOTAL DEFI	B		· · · · · · · · · · · · · · · · · · ·
		i	1	and the contraction of the state of the stat	
	! ! !		PLUGS AND ADAPTER	sitesaMe	Mensins aluxe
			-	laite	
		LUBERTMERT	HOSTING OR CHEMICA		
ner in letter 1904		17 7941 (34 197)	ra There and	STATE CASE (15) TOTAL C. C.S.	SIZE S
				المدين المعادلين الم المعادلين المعادلين	
			·	and the second of the second o	
The second secon			1	ding or chemical treatment	
				er en	
ا مان در در استان در استان در استان در استان در استان در		•	DRILL-OTEM AND SEC	io បអល់ខាក na ladrata na mamada (Elempa andio)	vy matatri bori
The second second			0300 81001	- committee of the comm	er en
i -	t een	CBC 1 1 2 2 2] 4 01 feet	re used Drive.	wain sytte II.
:	$\gamma_{-} + 2$		1	Mod Dian en	Cable colt wa
:			প্রা হে প্রতিরূপ	•	
:	January S.	i 		en de la companya de	
				m. € 1770 Modaw John	
	nper 1 mg	Jan 1800 380 380			
			EMPLOYEES	्राहरू । १८०० व्यक्तिकार ार्ट	Rock mesture.
· <u>1</u> 4.		, ·	EMPLOYEES , Dribe		
or addition of		•		en de la composition de la composition • manufacture de la composition de la c	
		C 442 44	11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ে গেড়ব্য	
$ \vec{F} ^2 \cdot \hat{m}^2 = -1$	e er i skrift			the Charles Coff to be part of the Time of	
!	:		en see in 1919.	% - 5 m + 188(809)+3 135 gg	u oa hi walen ƙ
•	Land of the	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		. Wilself settle of move:	Marchine No.
			terio gerg.	especial de la companya de la compa	

. Habi viendi

HUMBLE OIL & REFINING COMPANY'S

N. M. State E - 1

Range 37-Rast, Lea County, New Mexico.

DEVIATION SURVEYS

Acië bottle test at 1000 - hole straight

Acid bottle test at 1400 - hole straight

Acid bottle test at 1600 - hole straight

Acid bottle test at 1850 - deviation 1/2 of 1 degree

Acid bottle test at 2450 - hole straight

Acid bottle test at 3075 - deviation 1/2 of 1 degree

DRILL STEM TESTS

NONE

ATYRE I NO PARISHED NO LEADEN

Mi-1/6 of Dectas il, the - st-south

DAVIST A STRUCT

diplicate clear - 6001 to deer sitted blus

Acia bottle seat at 2-0 - hole strat ct

In larda alon - 000% da taba andtod blok

Burnes I make a languab - bdb. Ja Janu alland blok

Acid bottie tage at MASS - hole etchi th

lang to i the by therese - CTOs is tend sitted tick