N.

FORMATION RECORD NEW MEXICO OIL CONSERVATION COMMISSION

1 :					Santa Fe, Nev		er i en mont e i ende i epime nea une	
			į.	and the second				i : :
	2			sed de la	WELL RE	CORD		,
			*	in the second s				
			Mail	Oil Conservation	Commission, Sa	nta Fe, New	Mexico, or its prop	•••
1			in the	not more than twen Rules and Regulati owing it with (?)	ons of the Com	mi ssion . Indi	ell. Follow instructio cate questionable da	ns ta
	EA 640 ACRE WELL CORR							
ineradi	a Potrola				28, x-4		at. Her Next	
		ompany or Ope				Addres		10 272
5 121 0	Lease			an and		e to the second	1. A.	2 ()
-		M. P. M.,		and 1000 f		2 5 4		County.
	-			Ass		*		And the second of the second o
f patente	d land the ov	wner is			01-01-0 <u>1</u>	Address		Ch.
f Govern	ment land tl	he permittee	is			Address	A Company	1
				-			Tules Oklas	
Name of d	irilling contra	ictor	to No fortili	ing You		S. Solso		19
				6839				
The infor	mation given	is to be kept	confidentia	until	·		19	
		1 .		OIL SANDS OR	ZONES	t justin		
				No.				4.73 2.47 - 27
No. 2, fr	om		20	No.	5, from	<u> </u>	to to	
,	- mail - 20			PORTANT WAT				<u> </u>
nclude d	lata on rate	of water inf		vation to which				
No. 1, fr	om	PS C	1	O	.પ્રે }	feet.		i Sant
No. 2, fr	om .		<u>:</u>	(0)		feet.	(1.15 1.28 41 ?)	Spine:
		*		Ю			***************************************	
No. 4. fro	o m		1			feet.		Drivers and the second
34,				CASING RE				4 to 1
SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT KIND		OM	PERFORATED	PURPOSE
1910	40#						FROM TO	
6- 5/ 8*		G-thd	i Weld	96891-6-	Tuesda Pa			
6-5/8" el#		10-414	E.Wold	20401-8* 20201-7*	Hallibur	ton		
								
			-					
	-							
			MUDI	DING AND CEME	NTING RECO	RD		
SIZE OF HOLE	SIZE OF CASING W	HERE SET	NO. SACKS	METHOD US	SED MU	D GRAVITY	AMOUNT OF	MUD USED
) min	1mle		180		:			
17.	0-4/6"	#017.	800	Halliburte Halliburte	1		:	
7-8/8×	6-5/0"	8094*	100	Halliburte	· —			
				DI IIICO				
Heaving	plug-Materi	ial		PLUGS AND AD		De	pth Set	
						,	oth Set	
				SHOOTING OR (······································
	1	EXP	LOSIVE OR				OTIC—	
OTOTO	SHELL U		LOSIVE OR	QUANTITY	DATE	DEPTH OR TRE	SHOT ATED DEPTH CI	EANED OUT
SIZE	illone	Dowe:	ll IX vol	4	7/1/86			
 1000 oi	1	Down)	11 XX a61		7/2/26	-		
	lone	J.						
1000 al	l) one	aharri	otmo=* -					
8000 of							The well was	
8000 of							The well was	
8000 of		le oil per	r hour oe		esta three	163 58/64		
Results of	Oğ berre	le oil per	RECORD O	F DRILL-STEM	ND SPECIAL	163 58/64 TESTS		
Results of	Oğ berre	le oil per	RECORD O	F DRILL-STEM	AND SPECIAL	163 58/64 TESTS	* choke,	
Results of	em or other	special tests	RECORD O	F DRILL-STEM A surveys were m	AND SPECIAL ade, submit reserved.	TESTS sport on sep	parate sheet and a	ttach hereto.
Results of Plowed	em or other	special tests	RECORD O	F DRILL-STEM A surveys were m TOOLS US	AND SPECIAL rade, submit rate feet, and rate feet,	TESTS sport on sep	arate sheet and a	ttach hereto.
Results of	em or other	special tests	RECORD Of deviation	F DRILL-STEM A Surveys were m TOOLS US feet to Second feet to PRODUCTION	AND SPECIAL rade, submit rate feet, and rate feet,	TESTS sport on sep	parate sheet and a	ttach hereto.
Results of Cable tool	em or other ols were used ls were used	special tests	RECORD O	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI	AND SPECIAL rade, submit rate feet, and rate feet,	TESTS eport on sep from	erate sheet and a feet to feet to	ttach hereto.
Results of Put to produce to prod	em or other ols were used ls were used oducing	special tests from from first 24 hours	RECORD Of or deviation	F DRILL-STEM A Surveys were m TOOLS US feet to SOCO feet to PRODUCTI	AND SPECIAL ade, submit reset, and seet, and seet, and seet.	TESTS eport on sep from crom	parate sheet and a feet to feet to % was oil;	ttach hereto. feet feet
Results of Alexander Cable tool Put to produce to musion;	em or other ols were used ls were used oducing	special tests from from first 24 hours water; and	RECORD Of or deviation	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI 19	AND SPECIAL rade, submit rate feet, and rate feet, and rate feet, and ravity, Be	TESTS eport on sep from from	erate sheet and a feet to feet to	ttach hereto.
Results of Put to proud of production; if gas well	em or other ols were used ls were used oducing	special tests from from first 24 hours water; and	RECORD Of or deviation	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI 19	AND SPECIAL rade, submit rate feet, and rate feet, and rate feet, and ravity, Be	TESTS eport on sep from from	parate sheet and a feet to feet to % was oil;	ttach hereto.
Results of Put to product to prod	em or other ols were used ls were used oducing	special tests from from first 24 hours water; and	RECORD Of or deviation	F DRILL-STEM A Surveys were m TOOLS US feet to SOCO feet to PRODUCTI 19 % sediment. G:	AND SPECIAL rade, submit rate feet, and refeet, and review and ravity, Be cons gasoline process.	TESTS eport on sep from from	parate sheet and a feet to feet to % was oil;	ttach hereto.
Results of Ploud If drill-stee Rotary too Cable tool Put to proud emusion; if gas well Rock present	em or other ols were used ls were used oducing action of the l, cu. ft. per	special tests from from first 24 hours water; and 24 hours sq. in.	RECORD O	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI 19 Gall	AND SPECIAL rade, submit rate feet, and rate feet, and ravity, Be	TESTS eport on sep from which er 1,000 cu.	feet to	ttach hereto.
Results of Flowed Results of Flowed If drill-stee Cable tool Put to pro The production; If gas well Rock present	em or other ols were used ls were used oducing action of the l, cu. ft. per	special tests from from first 24 hours % water; and 24 hours sq. in.	RECORD Of or deviation	F DRILL-STEM A surveys were m TOOLS US feet to SOOT feet to PRODUCTI , 19 % sediment. G. Gall EMPLOYE, Driller.	AND SPECIAL ade, submit reset, and seet, and s	TESTS eport on sep from from which er 1,000 cu.	parate sheet and a feet to feet to % was oil;	ttach hereto. feet feet % Driller
Results of Ploud If drill-stee Rotary too Cable tool Put to pro The production; If gas well Rock present	em or other ols were used ls were used oducing action of the l, cu. ft. per	special tests from from first 24 hours % water; and 24 hours sq. in.	RECORD Of or deviation	F DRILL-STEM A surveys were m TOOLS US feet to SOOT feet to PRODUCTI , 19 % sediment. G. Gall EMPLOYE, Driller.	AND SPECIAL rade, submit rate feet, and received and ravity, Be cons gasoline parts.	TESTS eport on sep from from which er 1,000 cu.	feet to % was oil;	ttach hereto. feet feet % Driller
Results of	em or other ols were used ls were used oducing action of the l, cu. ft. per sure, lbs. per	special tests from first 24 hours water; and 24 hours sq. in.	RECORD Of or deviation of deviation of the second of the s	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI 19 Gall EMPLOYS Driller TION RECORD O	AND SPECIAL ade, submit reset, and seet, and s	TESTS eport on sep from from which er 1,000 cu.	feet to % was oil;	ttach hereto. feet feet feet priller
Results of Results of Rotary too Cable tool Put to pround musion; if gas well Rock present the Rock present	em or other ols were used ls were used oducing action of the l, cu. ft. per sure, lbs. per	special tests from from first 24 hours water; and 24 hours sq. in.	RECORD Of or deviation of deviation of the second of the s	F DRILL-STEM A surveys were m TOOLS US feet to PRODUCTI 19 Gall EMPLOYS Driller TION RECORD O	AND SPECIAL ade, submit reset, and seet, and s	TESTS eport on sep from from which er 1,000 cu.	feet to % was oil;	ttach hereto. feet feet feet priller

FORMATION RECORD

		in feet	1	FORMATION
		New Mexico	Santa Fo.	
0	18	18	Cellar and substarctu	ro.
18 185	185 514	RECO ND	Many harry yas man, or	
514 972	972 1025	456	Red bedy shale and ro- Red bed and red mek-	dk.
1023	Tall	2015 1, Sans 2016 New	Red rocks	And the second s
1988	i. Follow instructions ste qui divide ble data	er compositon of we Commission India	ages not mose than twenty days af	hyd2110 85301
1417 8557	2537 2517	IN TR EBO CATE.		AREA GO ACRES TELES
2517* 2526*	2000	21 183	Lime. Set 2511' of 8	-6/8" cag/ w/ 500 sasks.
36601		Address	Anhydrite and streets Spoken Mine	Company
2780 2784	6 2784	.500 10 876	Line	9839.
3065	33.65	ethell 1 line	7 dames	ich is der komit of the North
5165 3805	2006 2006		Sensy Lines	Z ri o a w war bus the eff ha labels.
39 05	3908 3540	seemba.	Recken line.	et sosma 🥕 d'al Lottisteq
8549	8509	\\vi e 88	Mand gray line.	Gavernment lend the permittee is a few for a few and the comments of the comment
5500 5418	8U8 8448	Section 5	Const Man Ci	ertek marketar perseri er elderte i 1948-1944 (h. 1946) 1948 (h. 1948) film servier (h. 1949) (h. 1947)
3442	3693	17688	Lime. Ony lime	- Colling contractor program
3685 3668	9468 5597	15 20		everyous above sea level at top of cash
3697	3655	126 16	Line, Set State of 6-	incollection at the least of the collection of t
3627	3940	309	Brown lime.	
	c)		No. 5, from	03
nor hour	n 8981, of a	upaet tubi	e in this well . Sunb	ed approximately 4 parrels
of 1880	idized the we	ll with 2006 d minimum of	M'PERION TO TRANSPORT OF 6	old. Acid west immediate to house and was sumbbed in an
flowed?	26 barrels th	IN COIC.	of the Republic of the Party of the	Chands of The Color of the Colo
Re	-acidined wit	8000 galle		leid went in under Massimum
	e end minimum ure and 80 mi	of Themes.	Bet & hours and was sur agh Mr span tubing. O	s volum, 806,000, "Min of
ratio 5			to	
188.006	11 flowed #5	hours on 18/	64 Chara and and a	cerrels oil with gas values
Ses land	PERFORATED PROM TO	FROW & LITTED	den et Correr	SURE PER LOOT PER INCH MA
	101			raning and Space anggapara is a second and a second as a second and a second and a second and a second and a s
		4	January Company	
	The second secon			and a second control of the second control of the second control of the second control of the second control of
and the second of the second				
authorities (1994) - 1994 - 1995 - 19	Commence of Section Commence of the con-	ECORD	MUDSING AND COMENTING R	The second secon
ent to its mint	nd state that it says	GCORD	SACRO	COURT SIZE OF NO.
COLOR OF	u so ty tou.		SACRO	NEW PARE OF SOLUTION SOLUTION OF C
612,923 1777	B 40 TZ 1097		SAUSC METHOD TARD EMENT METHOD TARD	ECC OF SIZE OF NO.
6 (2.23) 4 (2.7)	B. 40 TX 1947		SAUSC METHOD TARD EMENT METHOD TARD	TO SHE OF THERE SET (OF THE SET)
	E 40 TV: 10//		SAURE METHICAN USED EMERY	TO OP SIVE OF WHERE SET (O'C)
			SAUGE METHER USED EMEN'S COLUMN TO THE COLUM	CO OR SIGN TO BRE SET (OR OR O
		YTTYARA CUM	SAUSC METHOD YSBD EMENY MENT METHOD AND ADAPTERS	TO STATE OF THERE SET (GO)
	in Rec	YOF'S AS CELL	SACRE ABTRICE USED EMENT AND ADAPTERS L CHECK AND ADAPTERS L Check	NO. OF SIZE OF CHERE SET (OCC C C C C C C C C C C C C C C C C C
	Total air	MID SEATION DED	SAUSCE METHOD WARD EMENY PLUGS AND ADAPTERS Lyngth 2D OF SHOOTING OR CHEMICAL	SCOP SIZE OF CHERE SET (O'C') HOUSE CASE OF CHERE SET (O'C') A sum ping Ding Waterial RECOF
	in Rec	TREATMENT DEPTH OR TREA	SAUSE METHOD USED EMENY METHOD USED LUGS AND ADAPTESS LUGSTH 20 OF SHOOTING OR CHEMICAL USED WINNEY DATE	SIZE OF SIZE OF CHERE SET (OF C
Anto Registra	TED PETER CLE	TREATMENT DEPTH	SAUSCE METHOD YSED EMENY PLUGS AND ADAPTERS LOSSIN SIZO TO OF SHOOTING OR CHEMICAL TERED TO OR	SCORE OF SHEED SET CONC.
Anto Registra	TED PETER CLE	MIED SERVICY TREATMENT OR TREA	SAUSC EMENY MOTHER USED PLUGS AND ADAFTE'S Longth 10 OF SHOOTING OR CHEMICAL USED WINNEY DATE	SIZE OF SIZE OF CHERE SET (OF CO. C.
	HO HERE TOH	TREATMENT DEPTH S OR TREA	SAUSC EMENY MOTHER USED PLUGS AND ADAFTERS Longth 10 OF SHOOTING OR CHEMICAL USED WINNITTY DATE	Solve of size of chamical test not
	HO HERE TOH	TREATMENT DEPTH S OR TREA	SAUSC EMENY MOTHER USED PLUGS AND ADAFTERS Longth 10 OF SHOOTING OR CHEMICAL USED WINNITTY DATE	Solve of size of chamical test not
	HO HERE TOH	TREATMENT DEPTH S OR TRIA	SAUSC EMENY MOTHER USED PLUGS AND ADAFTERS Longth 10 OF SHOOTING OR CHEMICAL USED WINNITTY DATE	Sire of sire of chemical test not search.
AT A COLUMN ACTION ACTI	HOT PETER CE	TREATMENT TREATMENT OR TRICA OR TRICA MAL TESTS	SAUSE EMENY EMENY PLUGS AND ADAFTERS LOSSIN SIZE SIZE SIZE SIZE SIZE SIZE SIZE SIZE	SECOP Size of Size of Chere set (600) As in plug - Material Size of Size in Care and Size of Chere set (100) Size of Size tiny or chemical free fact.
AT A COLUMN ACTION ACTI	HOT PETER CE	TREATMENT TREATMENT OR TRICA OR TRICA MAL TESTS	SAUSE EMENY EMENY PLUGS AND ADAFTERS LOSSIN SIZE SIZE SIZE SIZE SIZE SIZE SIZE SIZE	SIZE OF SIZE OF CHERE SET (OF COME SELECTION OF COME SELECTION OF CHERCAL SELECTION OF CHERCAL SECOND
ACTION AND ACTION AND ACTION AND ACTION AND ACTION AND ACTION ACT	DE DECEMBER OF THE CAME AND ADDRESS OF THE CAME AND AD	MIED SREVICY TREATMENT OR TREA OR TREA MAL TESTS 11 FEDICE OR SCHOOL	SAUSE EMENY EMENY PLUGS AND ADAPTERS LOSSIN SIZA LOSSIN SIZA SOR USED VILVITTY DATE SOR SOR SOR VILVITTY DATE SOR	SECOP SIZE OF SIZE OF CHERE SET (OF CONTROL OF CONTROL OT CONTROL OF CONTROL OT CONTROL OF CONTROL OT CONTROL OF CONTROL OF CONTROL OT CONTROL OT CONTROL OT CONTROL
ACTION AND ACTION AND ACTION AND ACTION AND ACTION AND ACTION ACT	THE DESCRIPTION OF ACTUAL SHOOT CHEST COME ACTUAL COME	MIED SREVICY TREATMENT OR TREA OR TREA MAL TESTS 11 FEDICE OR SCHOOL	SAUSE EMENY EMENY PLUGS AND ADAPTERS LOSSIN SPA LOSSIN USED LOSSIN USED LOSSIN SOR LOSSIN USED LOSSIN TO OF DRILL-STEM AND SPECIAL STAN TOOLS USED LOSI LOSI LOSI LOSI LOSI LOSI LOSI LOSI	SIZE OF SIZE OF CHERE SET (OF COORDINGS OF C
AND	DE DECEMBER OF THE CAME AND ADDRESS OF THE CAME AND AD	MIED SREVICY TREATMENT OR TREA OR TREA MAL TESTS 11 FEDICE OR SCHOOL	SAUSE EMENY EMENY PLUGS AND ADAFTERS Loseth Sys Sys Sys Sys Sys Sys Sys Sys	SIZE SHEET SHEET SET OF CONTROL SHEET SHEE
AND COUNTY OF THE COUNTY OF TH	DE DECEMBER OF THE CAME AND ADDRESS OF THE CAME AND AD	MIED SREVICY TREATMENT OR TREA OR TREA SHAL TESTS HI FEBRER EL FEBRER EL FORM	SAUSC MOTHER USED PLUGS AND ADAFTERS LONGIN SPA LONGIN LONGIN SPA LONGIN LONGIN LONGIN SPA LONGIN LONG	Sing of Sing of Chamical test and the second tree of the second tree o
	The Beck condense of the Constitution of the C	MIED SREVICY TREATMENT OR TREA OR TREA SHAL TESTS HI FEBRER EL FEBRER EL FORM	SAUSE EMENY EMENY PLUGS AND ADAFTERS LOSSIN SIZA LOSSIN SIZA SOR VENED SOR	Size of Size of the tent of their sectors of the se
	TOP TELEST COMMENTS OF THE COM	MIND SRIVICY TREATMENT TREATMENT OR TREA SIAL TESTS TO PRODUCT TO SEE THE SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE TO SEE TO SEE TO SEE THE SEE TO S	SAUSE EMENY PLUGS AND ADAPTERS LOSSIN SPA LOSSIN L	Silve Silve Salve
AND STATE OF THE S	TOP TELEST COMMENTS OF THE COM	MIND SRIVICY TREATMENT TREATMENT OR TREA SIAL TESTS TO PRODUCT TO SEE THE SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE TO SEE THE SEE TO SEE TO SEE TO SEE TO SEE TO SEE TO SEE THE SEE TO S	SAUSE EMENY EMENY PLUGS AND ADAFTERS LOSSIN SIZA TOSSIN USED VILVETTY DATE TOOLS VILLSTEM AND SPEC VILLSTEM AND SPECE VILLSTEM AND SPECE VILLSTEM AND SPECE VILLSTEM AND SPECE AND SPE	Silve of the control of their control of
AND COLOR	The Economic Part of Attended	AND SERVICE TREATMENT OF TRIES	SAUSE EMENY PLUGS AND ADAFTERS LOSSIN LOSSIN SPA USED CONTROL TOOLS USED PRODUCTION COLION	SIZE OF SIZE OF CHERE SET (CO.) - Co. Ing Material - Co. Ing Material SIZE
ANALYS CAMERA AND ANALYS CAMER	TED DEFINITION OF THE CAME AND ADDRESS OF THE CAME AND	TREATMENT TREATMENT OR TREA SAL TESTS SAL TEST	SAUSE EMENY PLUGS AND ADAFTERS LONGTH CORPTERS SPO LONGTH CORPTERS SPO USED SOR CORPTE SAUD ADAFTERS SOR CORPTE SAUD A	Size of Size of Charles Set of Core of the Size of the
MANICO CONTRACTOR CONT	TED DEFINITION OF THE CAME AND ADDRESS OF THE CAME AND	TREATMENT TREATMENT OR TREA SAL TESTS SAL TEST	SAUSC SUSTRICT USED EMENY PLUGS AND ADAFTERS LONGIN STOR USED VENEZO V	THE SHAPE OF CORR SET OF CORR AND SET OF CORR AND SHAPE SET OF COR
AND COMMAND AND AND AND AND AND AND AND AND AND	THOT DEFENH CAN THEN Sheet road att Cante sheet road att Cante sheet road	TREATMENT TREATMENT OR TREA SAL TESTS AL TESTS AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL	SAUSC SUSTRICTURED EMENY PLUGS AND ADAFTERS Size 1 consin CERT CERT COR TOOLS COLOR COLOR EMPLOYICE COLOR COLOR EMPLOYEES EMPLOYEES EMPLOYEES EMPLOYEES EMPLOYEES EMPLOYEES EMPLOYEES Driller Driller Driller EMPLOYEES EMPLOYEES Driller	Since of the property of the state of the st
AND COMMAND AND AND AND AND AND AND AND AND AND	THOT DEFENH CAN THEN Sheet road att Cante sheet road att Cante sheet road	TREATMENT TREATMENT OR TREA SAL TESTS AL TESTS AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL FESTS AL FORM AL FESTS AL	SAUSC SUSTRICT USED PLUGS AND ADAFTERS LONGTH OR CHEMICAL STOR TORRY TORRY TOOLS USED LONGTH AND SPEC LONGTH AND SPEC	Since of the control
AND COLOR	TED DEFETH COME THE COME AND ADDRESS OF THE COME ADDRE	TREATMENT TREATMENT TREATMENT OR TREA TREATMENT OR TREA TREATMENT	SACSE SMENT SMENT PLUGS AND ADAFTERS Longth Size 1 congth TO OF SHOOTING OR SHEMICAN SERIO SOR TOOLS USED TOOLS USED Longth Longth Tools USED PRODUCTION Longth Longt	Size of Size of Colors Size of Colors of Color

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

of the Commission. Indicate nature of report by checking below: REPORT ON BEGINNING DRILLING OPERATIONS REPORT ON REPAIRING WELL REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL REPORT ON PULLING OR OTHERWISE ALTERING CASING REPORT ON RESULT OF TEST OF CASING SHUT-OFF REPORT ON DEEPENING WELL REPORT ON RESULT OF PLUGGING OF WELL Monument, New Mexico June 28, 1936 Place OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. Gentlemen: Following is a report on the work done and the results obtained under the heading noted above at the.... Amerada Petroleum Corporation State WYN _Well No.__2___ Company or Operator NET MY 10 of Sec._____, T.___ 37.5 _. R.__ Monument _Field, __ _County. The dates of this work were as follows:. Notice of intention to do the work was [wee.net] submitted on Form C-102 on___ Mine \$8, 1936 and approval of the proposed plan was [was not] obtained. (Cross out incorrect words.) DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED 6-5/8" 20# 10-thd. New Electric welded casing was set in this well at 3824' and cemented by the Halliburton method with 100 sacks of cament. Casing and fittings were tested with 1200# pump pressure and allowed to stand undisturbed for thirty minutes. No drop in pressure resulted so the coments was then drilled out of the casing and the same test of 1200# pressure again applied and allowed to stand undisturbed for thirty mniutes. No drop in pressure resulted so the drilling was then resumed. Claud Cook Noble Drilling Co Witnessed by. Name Company I hereby swear or affirm that the information given above Subscribed and sworn to before the this. is true and correct Name Position. Pann Boss Notary Public Representing Amerada Petroelum Compare tion Company or Operator My Commission expires. Address Monument, New Mexico Remarks:

Inseed to Fitte

NEW NEXTOO OIL CONSELVATION COMPANION Saus Le New Herto

ADACTALANEOUS REPORTS ON WELLS

In a till end a contract to the old Conservation to make the proper agent and in too days after the action of the contract of

Proteo (interest ya ryotra t	* 型性資子が4 の表示の数か40 **
tista owna kona kona kita	RUSS OF THE RESIDENCE PROPERTY OF THE PROPERTY.
COMBINED OF CREATING NO SINGLE	A CONTROL OF THE SECTION OF CARRIES OF CARRI
COMPOSITE FOR THE STATE OF THE	e eest te district on at an area of the east of the ea
	do car so odiavas i no altas un como da
The state of the parameter and the state of	entropies de la composition de la comp
	المرابع المرابع والمواصرة
	मान ४ मा । हाहि अतिहास अधिकारण है । दिस जन्मप्रकार समय जन्म जनवनी
	(Address State)
THE REPORT OF THE PARTY OF THE	
المنظر الرواف المنظر بالدر يُعَمَّمُ عليه الرواف المنظر الرواف الرواف الرواف الرواف الرواف الرواف الكراف الكرا والراج عليه الرواف المنظر والمنظر المنظر الرواف المنظر بالرواف الرواف الرواف الرواف الرواف الكراف الكراف الكراف	
	The early of this ware by follows:
t settled on Form C 393 call.	
GREE BOND AND RESULTS ORDANGED	W BO TEUG EA GE RIATH G
under 1980 in der Steine der Stei	remainistration (Adello Williams) (Ndel North Control (Adello) (Control (Adello) (Control (Adello) (Control (Adello) (Control (Adello) (Control (Adello North Control (Adello) (Control (Control (Adello) (Control (Adello) (Control (Control (Adello) (Control
Property State (15 to 1 to 1 to 2 to 1) or the second of t	ti i na katalina kaban majirati na katalina katalina malahi. Manakat majar m
ing parameter is a larger of the contract of t	Light bestean W
and the second of the second o	
i berchy awar, at offirm that the information goes amous to order one werest.	Clark Side of Stales of Siews bes Swiftman
in the state of th	1.
The september of the control of the	About West on
The second secon	AT 1984 A