ILR

NEW EXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

	ION TO TEST CASING	SHUT-OFF 5-1/8"	NOTICE OF INTENTION CHEMICALLY TRE	TO SHOOT OR		
NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO REPAIR WELL			NOTICE OF INTENTION	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING		
			NOTICE OF INTENTION TO PLUG WELL			
NOTICE OF INTENT	TION TO DEEPEN WE	CLL				
	Н	obbs, New Mexic	00. April 9th, 1	936.		
			Place	Date		
OIL CONSERVATION Santa Fe, New Mex.						
Gentlemen:	,					
Following is a notice L CORPORATION	e of intention to do o	ertain work as descr	ibed below at the			
GYPSY DIVIS	SION		Well No	1 sw/		
Company or Ope	54 & CO1 _	1.6996	Monument			
Lea	, T.	, R, N	I. M. P. M.,			
	Co	unty.				
On Apri n Lime at 3760	FOLLOW INSTRUCTION	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	OSED PLAN OF WORK ND REGULATIONS OF THE COM Othd New Lapveld Steel Lliburton Cementing Pro 11 10th, 1936.			
On Apri in Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	ND REGULATIONS OF THE COM Othe New Lapueld Steel Lliburton Commuting Pro			
On Apri in Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	ND REGULATIONS OF THE COM Othe New Lapueld Steel Lliburton Commuting Pro			
On Apri n Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	ND REGULATIONS OF THE COM Othe New Lapueld Steel Lliburton Commuting Pro			
On Apri n Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	ND REGULATIONS OF THE COM Othe New Lapueld Steel Lliburton Commuting Pro			
On Apri n Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	othe New Lapveld Steel Liburton Comenting Pro	Casing was co		
On Apri n Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	ns in the rules a • 1-1/2" 17# 1 ment by the Ha	othe New Lapveld Steel Liburton Comenting Pro	Casing was co		
On Apri n Lime at 3760 e Propose to d	COLLOW INSTRUCTION 11 7th, 1936 the 1 W/300 Sax Cas 1 Till the plug a	e 8-1/2" 17# 12 ment by the Hal	othe New Lapveld Steel Liburton Comenting Pro-	Casing was concess.		
On Apri n Lime at 3760	TOLLOW INSTRUCTION 11 7th, 1936 the 11 W/300 Sex Cen	e 8-1/2" 17# 12 ment by the Hal	Othe New Lapveld Steel Liberton Commuting Pro 11 10th, 1936. GULFOIL CORPORATION OF GYPSY DIVIS	CATE		
On Aprin Lime at 3760 Propose to 6	COLLOW INSTRUCTION 11 7th, 1936 the 1 W/300 Sax Cas 1 Till the plug a	ns in the rules A e \$-1/2" 17# 12 ment by the Har	Othe New Lapveld Steel Liburton Comenting Pro 11 10th, 1936. GULF OIL CORPORATION O GYPSY DIVIS Company or O	CATE		
On Apria Lime at 3760 Propose to 6	COLLOW INSTRUCTION 11 7th, 1936 the 1 W/300 Sax Cas 1 Till the plug a	e 3-1/2" 17# 12 ment by the Hallend test on Am	Othe New Lapveld Steel Liberton Commuting Pro 11 10th, 1936. GULFOIL CORPORATION OF GYPSY DIVIS	CATE		
On Apria Lime at 3760 Propose to 6	COLLOW INSTRUCTION 11 7th, 1936 the 1 W/300 Sax Cas 1 Till the plug a	e 3-1/2" 17# 12 ment by the Hallend test on Am	Othd New Lapveld Steel Liburton Comenting Pro il 10th, 1936. GULFOIL CORPORATION O GYPSY DIVIS Company or O District Superint.	Casing was concess.		

Steper Merch Control (1983) A Control (1984) A Control (1

Santa Fa, New Mexico

MISCHLIANNESS NOTICED

to a to the control of the control of the environment and proper as the control of the control of the control of the expectation of the control of the expectation of the control of the expectation of the control of t

	Codeste nature of notice by checking below
SATEMATES TO STEED OR	BO INSPAN: TO THE TARREST STATE OF THE STATE OF THE BOTH OF THE BO
CHENTICK FO P.UL. OK WHELVER AVER (ARING	The property of the second sec
e 186 to 1850 no com consideration	
	Property of the second section of the section of th
5 - 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Jugorga Medigang Manggang Manggang an dia na Jugorgang Manggang Manggang Jugorga Medigang Manggang Man
voje vojeka kaj kaj kaj kaj kaj kaj kaj kaj kaj k	
West and the second	
	ngan vigina ing kandangan sa kandan sa k Birkan kandan sa kand
and the second of the second o	The gradient of the state of th
	greating on the first term of the second of
egyapan <mark>O</mark> ng enganagan Mgapanag <mark>O</mark> ng enganagan	
дэгдээр Сумуулан Сумуул орч Сумуу	
	And the first of the second se
	author bat of
· 秘格·	

NEW EXICO OIL CONSERVATION COMESSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

REPORT ON BEG	INNING DRILLING OPERATION	NS	REPORT ON R	EPAIRING WELL	!
REPORT ON RESU	ULT OF SHOOTING OR CHEMIC OF WELL	CAL	1	ULLING OR OTHERWISE	
REPORT ON RESU	JLT OF TEST OF CASING	5-1/2"	REPORT ON D	PEEPENING WELL	
REPORT ON RESI	ULT OF PLUGGING OF WELL				
	Hobb	s, New Mez	ieo.	April 11th, 18	56.
			Place	- ·	Date
OIL CONSERVAT	TION COMMISSION, exico.	,			
Gentlemen:					
Following is a rep	ort on the work done and the	results obtaine	ed under the head	ding noted above at the	
	/ISION	red Luthy	,,,.	Well No	1 in
SW/4	Company or Operator	_ 1	Lease	_ 9 86	
Monte t	of Sec.	7		, R. 37e	•
	Field,			304b 30me	
	work were as follows: Octob				
Matica of intention	a to do the mork mag (1988)				
The hole we the plug dril	n to do the work was (Table in the proposed plan was (Table in DETAILED ACCOUNT (Table in the casilled and the hole team of and after approve	t) obtained. (OF WORK Ing tested ted with 1	Cross out incorrection AND REwith 1200# Pressur	ct words.) ESULTS OBTAINED Tessure applied f e applied for 30	or 30 Min, Min, Both
and approval of the hole we the plug dril	DETAILED ACCOUNT (s. hed down the easi lied and the hole test seh and after approve	t) obtained. (OF WORK Ing tested ted with 1	Cross out incorrection AND REwith 1200# Pressur	ct words.) ESULTS OBTAINED Tessure applied f e applied for 30	or 30 Min, Min, Both
and approval of the The hole we the plug dril tests were 0) were made to	DETAILED ACCOUNT of hed down the easilied and the hole too the hed after approval drill sheed.	t) obtained. (OF WORK Ing tested with 1.1 of Mr. V	Cross out incorred DONE AND RE with 1200# P 200# Pressur (esely State	ct words.) ESULTS OBTAINED Tessure applied f e applied for 30	or 30 Min, Min, Both er, Prepar
and approval of the The hole we the plug dril tests were 0) were made to	DETAILED ACCOUNT of the serious had down the easified and the hole test the had after approval drill sheed.	t) obtained. (OF WORK Ing tested with 1.1 of Mr. V	Cross out incorrections out incorrections and RE with 1200# Pressur casely State	ct words.) ESULTS OBTAINED ressure applied for 30 Oil & Gas Inspect	or 30 Min, Min, Both Ser, Prepar
The hole we the plug dril tests were Oh were made to	DETAILED ACCOUNT of hed down the easilied and the hole too the hed after approval drill sheed.	t) obtained. (OF WORK Ing tested with 1.1 of Mr. V	Cross out incorrection CONE AND REWITH 1200# Pressur Company	ct words.) ESULTS OBTAINED ressure applied for 30 Oil & Gas Inspect	or 30 Min, Min, Beth or, Prepar
The hole we the plug dril tests were Oh were made to	DETAILED ACCOUNT of the casical and the hole test of and after approval of rill sheed. Name	t) obtained. (OF WORK Ing tested with 1.1 of Mr. V	Cross out incorrection of the company Company I hereby swear construction of the company I hereby swear construction of the company Company	ct words.) ESULTS OBTAINED ressure applied for 30 Oil & Gas Inspect	or 30 Min, Min, Beth or, Prepar
The hole we the plug dril tests were Oh were made to Witnessed by	DETAILED ACCOUNT of the casical and the hole test of and after approval of rill sheed. Name	op obtained. (OF WORK I Ing tested Ited with I I of Mr. V	Cross out incorrection on the Company Company I hereby swear construction of the Company Position Dist	ct words.) ESULTS OBTAINED ressure applied for 30 Oll & Gas Inspect or affirm that the informat. rict Superintends ULF OIL CORPORATION	Title ration given above of pennsyl

Name

Title

ICR

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

debted tals of a to triplean to the OH Conservation Commission of a proper alegal althan set tags after the conservation of tendents of the signed and swam to believe a ponery public for reports on haginning defined the constant of the standard with a standard and small entering and with a standard and constant tendents. In the set the contained the Communities of the containing with respect to an agent of the Communities of the containing the containing the containing the standard and the containing the contai

:•	indica o nature of report by checking pelow			
HING WELL	Mostra in the arm	Bennya ok ilingkind bidikake errakake		
NA OE STEERWISE	LAPTE NO THE MODEL OF THE SECOND SECO	ACCEPTATION OF THE PROPERTY GALAGE VIOLENTICAL WARRANTS OF A STRAIGHT WARRANTS		
11,4 FW (FF)	RIEBO NO THURSE	CARLO MORRES HOR, DESERVA CARRADA CARR		
	•	ABOVERO PRIMER TO THE FOREST OF THE ORIGINAL TO THE ORIGINAL THE ORIGINAL TO THE ORIGINAL THE		
.00%0 .4.41 1.4	95min	190 180 1 6 X 30		
		STATE OF STATES OF STATES STATES.		
era e examic filence	antinead and maken he	Conservation of the conser		
edici i i svijaw	Same a 200 270 M 20	ententin entukon odi pas oneti kan ententa ententa ja ga in oneti 電磁器 (1985年)		
2.25 × 3		Andrews of the second of the s		
	1	की महिमार के क्रीकेंग करीं है। awaiter on above to my attraction and the		
	ł .	on D astindon (1868) ka kana saka da pesi seperaja nese _{le} z Kalandando (1868) ka kana saka herapaka		
		OF THE STREET OF		
The Mark the second of the second	the section of the se	 Service (1) The service of the service		
e er	Varando (Q. Q. C.	er and see that the second section of the section		
no be never moltomovich officer bill	is in the as year of i stoomer burg and o			
and the second of the second of the	en and the second of the	ing the second of the second o		
en e	LES ES Carrer			
en in 1707 in de la companya de la c	gradiesergest	en de la companya de La companya de la co		
, ali se succession de la companion de la comp La companion de la companion d	aserbh t	and the second of the second o		
	Andrew Comments and Analysis an	The Art Control of the Control of th		