

RECEIVED	
DATE	
BY	
S.G.S.	
AND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>	
5. State Oil & Gas Lease No.	
SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL, TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>	
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
Name of Operator <b>Amerada Hess Corporation</b>	8. Farm or Lease Name <b>S. Phillips</b>
Address of Operator <b>Drawer "D". Monument, New Mexico 88265</b>	9. Well No. <b>1</b>
Location of Well UNIT LETTER <b>N</b> <b>330</b> FEET FROM THE <b>South</b> LINE AND <b>2310</b> FEET FROM <b>West</b> LINE, SECTION <b>33</b> TOWNSHIP <b>19-S</b> RANGE <b>37-E</b> NMPM.	10. Field and Pool, or Wildcat <b>Eunice-Monument (G-SA)</b>
15. Elevation (Show whether DF, RT, GR, etc.)	12. County <b>Lea</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> ILL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOBS <input type="checkbox"/> OTHER <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> Temp. Abandon <input checked="" type="checkbox"/>
--	--	---	--

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Ran tubing & bit. Drilled on cement from 3690' to 3701' and bridge plug at 3702'. Pushed plug to 3753'. Set Aluminum bridge plug at 3750' with 10' cement on top. Perf. 6-5/8" casing with 2 shots at 3682', 3683', 3684', 3694', 3695', 3696', 3705', 3706', 3707', 3708', 3709', 3720', 3721' & 3722'. Total 28 holes. Acidized perfs. 3682' to 3722' with 2000 gals. 15% NE acid. Swab tested. Perf. 6-5/8" casing 3724' to 3736' with one shot per ft. Total 13 holes. Acidized perfs. 3682' to 3736' with 2000 gals. 15% NE acid. Swab tested. Non-Commercial. Closed all valves and T.A.

*Expires 10/1/75*

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <i>[Signature]</i> <b>John E. Hynes</b> Geologist	TITLE <b>Superv., Admin. Services</b>	DATE <b>6-24-75</b>
PROVED BY <i>[Signature]</i> <b>John E. Hynes</b> Geologist	TITLE <b>Geologist</b>	DATE <b>1975</b>

CONDITIONS OF APPROVAL, IF ANY: