

Submit 2 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.	30-025-05826
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B2656
7. Lease Name or Unit Agreement Name	East Eumont Unit 008598
8. Well No.	97
9. Pool name or Wildcat	022800 Eumont Yates 7 Rvr Qn
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐	2. Name of Operator OXY USA Inc. 16696	3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250
4. Well Location Unit Letter <u>I</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>1980</u> Feet From The <u>East</u> Line Section <u>35</u> Township <u>19S</u> Range <u>37E</u> NMMPM Lea County		

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.	

See other side

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Analyst DATE 1/9/98
TYPE OR PRINT NAME David Stewart TELEPHONE NO. 9156855717

(This space for State Use)

APPROVED BY ORIGINAL SIGNED BY CHRIS WILLIAMS TITLE DISTRICT I SUPERVISOR DATE
CONDITIONS OF APPROVAL, IF ANY:

gle
mP


ATTACHMENT C-103
OXY USA INC.
EAST EUMONT UNIT #97
SEC 35 T19S R37E
LEA COUNTY, NM

TD - 3900' PBTD - 3894' PERFS - 3730-3864'

CASING: 8-5/8" 24# @ 295', 12-1/4", cmt w/200sx (TOC-SURF-CIRC)
5-1/2" 14# @ 3898', 7-7/8", cmt w/1530sx (TOC-1450'-TS)
CIBP @ 3630'

1. MIRU PU, NDWH, NUBOP. RIH & TAG CIBP @ 3630', SPOT 15sx CL C CMT ON TOP TO 3536'. M&P 9.5# MUD LADEN FLUID, POOH TO 2965'.
2. M&P 20sx CL C CMT PLUG FROM TO 3065-2965'. M&P 9.5# MUD LADEN FLUID, POOH TO 2702'.
3. M&P 20sx CL C CMT PLUG FROM TO 2802-2702'. M&P 9.5# MUD LADEN FLUID, POOH TO 2547'.
4. M&P 20sx CL C CMT PLUG FROM TO 2647-2547'. M&P 9.5# MUD LADEN FLUID, POOH TO 1460'.
5. M&P 20sx CL C CMT PLUG FROM TO 1560-1460'. M&P 9.5# MUD LADEN FLUID, POOH TO 245'.
6. PERF 2 SQZ HOLES @ 345', EIR, M&P 75sx CL C CMT PLUG CIRC CMT TO SURFACE, SPOT CMT IN 5-1/2" CSG TO 245'. M&P 9.5# MUD LADEN FLUID, POOH.
7. M&P 10sx CL C CMT SURFACE PLUG. NDBOP, CUT-OFF CSG 3' BELOW GROUND LEVEL, RDP, INSTALL DRY-HOLE MARKER, CLEAN LOC & BACKFILL W/O PIT.

OXY USA INC. CURRENT
EAST EUMONT UNIT #97
SEC 35 T19S R37E LEA NM



0.0 - 295.0' 12 1/4" OD HOLE
0.0 - 295.0' CEMENT 200sx-CIRC
0.0 - 295.0' 8 5/8" OD SURF CSG

295.0 - 3898.0' 7 7/8" OD HOLE
1450.0 - 3898.0' CEMENT 1530sx-TS
0.0 - 3898.0' 5 1/2" OD PROD CSG

3630.0 - 3630.0' CIBP

3730.0 - 3864.0' ABANDONED PERFS

TD: 3900'

OXY USA INC. PROPOSED
EAST EUMONT UNIT #97
SEC 35 T19S R37E LEA NM

