

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30- 025- 05865
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B2441
7. Lease Name or Unit Agreement Name East Eumont Unit 008598	
8. Well No.	111
9. Pool name or Wildcat	022800
Eumont Yates 7 Rvr Qn	
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐	2. Name of Operator OXY USA Inc. 16696
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter F : 1650 Feet From The North Line and 2304 Feet From The West Line Section 2 Township 20S Range 37E NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See other side

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Analyst DATE 1/9/98

TYPE OR PRINT NAME David Stewart TELEPHONE NO. 9156855717

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

mp


ATTACHMENT C-103
OXY USA INC.
EAST EUMONT UNIT #111
SEC 2 T208 R37E
LEA COUNTY, NM

TD - 3850' PBTD - 3845' PERFS - 3695-3835'

CASING: 8-5/8" 24# @ 406', 12-1/4", cmt w/325sx (TOC-SURF-CIRC)
5-1/2" 14# @ 3850', 7-7/8", cmt w/250sx (TOC-2435'-TS)
CIBP @ 3590'

1. MIRU PU, NDWH, NUBOP. RIH & TAG CIBP @ 3590', SPOT 10sx CL C CMT ON TOP TO 3502'. M&P 9.5# MUD LADEN FLUID, POOH TO 2950'.
2. M&P 20sx CL C CMT PLUG FROM TO 3050-2950'. M&P 9.5# MUD LADEN FLUID, POOH TO 2565'.
3. M&P 30sx CL C CMT PLUG FROM TO 2788-2565'. M&P 9.5# MUD LADEN FLUID, POOH TO 1494'.
4. PERF 2 SQZ HOLES @ 1594', EIR, M&P 35sx CL C CMT PLUG FROM 1594-1494'. M&P 9.5# MUD LADEN FLUID, POOH TO 356'.
5. PERF 2 SQZ HOLES @ 456', EIR, M&P 80sx CL C CMT PLUG CIRC CMT TO SURFACE, SPOT CMT IN 5-1/2" CSG TO 356'. M&P 9.5# MUD LADEN FLUID, POOH.
7. M&P 10sx CL C CMT SURFACE PLUG. NDBOP, CUT-OFF CSG 3' BELOW GROUND LEVEL, RDP, INSTALL DRY-HOLE MARKER, CLEAN LOC & BACKFILL W/O PIT.

OXY USA INC. CURRENT
EAST EUMONT UNIT #111
SEC 2 T20S R37E LEA NM



0.0 - 406.0' 12 1/4" OD HOLE
0.0 - 406.0' CEMENT 325sx-CIRC
0.0 - 406.0' 8 5/8" OD SURF CSG

406.0 - 3850.0' 7 7/8" OD HOLE
2435.0 - 3850.0' CEMENT 250sx-TS
0.0 - 3850.0' 5 1/2" OD PROD CSG

3590.0 - 3590.0' CIBP

3695.0 - 3835.0' ABANDONED PERFS

TD: 3850'

0.0 - 38.0' CEMENT PLUG 10sx

356.0 - 456.0' CEMENT PLUG 80sx

1494.0 - 1594.0' CEMENT PLUG 35sx

2565.0 - 2788.0' CEMENT PLUG 30sx

2950.0 - 3050.0' CEMENT PLUG 20sx

3502.0 - 3590.0' CEMENT PLUG 10sx

3590.0 - 3590.0' CIBP

0.0 - 406.0' 12 1/4" OD HOLE

0.0 - 406.0' CEMENT 325sx-CIRC

0.0 - 406.0' 8 5/8" OD SURF CSG

456.0 - 456.0' SQUEEZE PERFS

1594.0 - 1594.0' SQUEEZE PERFS

406.0 - 3850.0' 7 7/8" OD HOLE

2435.0 - 3850.0' CEMENT 250sx-TS

0.0 - 3850.0' 5 1/2" OD PROD CSG

3695.0 - 3835.0' ABANDONED PERFS

TD: 3850'