

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

The Texas Company

Drawer K, Wink, Texas

Company or Operator
J. W. Cooper
Lease
37-E
N. M. P. M., **Monument** Field, **Lea** County.
Well is **1980** feet south of the North line and **860** feet west of the East line of **Section 5**
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is **J. W. Cooper and wife**, Address **Monument, New Mexico**
If Government land the permittee is, Address
The Lessee is **The Texas Company**, Address **Box 2332, Houston, Texas**
Drilling commenced **November 28** 19 **36** Drilling was completed **December 24,** 19 **36**
Name of drilling contractor **Hendeville & Thompson**, Address **Chickasha, Oklahoma**
Elevation above sea level at top of casing **3560** feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from **3758'** to **3889'** No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
13" OD	40#	8	LW	124'	TP			
9-5/8"	40#	8	smis	1195'	Guide			
7" OD	24#	10	smis	3777'	Guide			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	13" OD	145'	150	Haliburton		
	9-5/8"	1210'	600	"		
	7" OD	3760'	350	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3889** feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing **December 25** 19 **36** **GAS/OIL RATION 580**
The production of the first 24 hours was **223** barrels of fluid of which **100** % was oil; %
emulsion; % water; and % sediment. Gravity, Be **32.0**
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

W. G. Birt, Driller **B. Mackey**, Driller
C. D. White, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **4th** day of **January**, 19 **37**
W. E. Chapman Notary Public.
My Commission expires **5-31-37**
Wink, Texas January 4, 1937
Name **W. E. Chapman**
Position **District Superintendent**
Representing **The Texas Company**
Company or Operator
Address **Drawer K, Wink, Texas**

FROM	TO	THICKNESS IN FEET	FORMATION
0	100	100	Sand and gravel
100	1140	1040	Red bed and shells
1140	1257	127	Anhydrite
1257	2367	1100	Anhydrite and Salt
2367	2617	250	Anhydrite
2617	2679	62	Anhydrite and lime
2679	2908	229	Broken Lime
2908	3023	115	Lime
3023	3074	51	Broken Lime
3074	3357	283	Lime
3357	3459	102	Broken Lime
3459	3889	430	Lime