## NEW . YICO OIL CONSERVATION COM 'SION

Santa Fe, New Mexico

## **MISCELLANEOUS NOTICES**

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of no	
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL	
Monument, New Mex	Place May, 1, 1936
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. Gentlemen: Following is a notice of intentiton to do certain work as	described below at the
	embert Well No. 1 in NW1 NW
Company or Operator Lease	
of Sec. 6 , T. 20 , R. 37	, N. M. P. M., Monument
8-5/8" 28# 8-thd. New Electric casemented by the Halliburton method with a sing and 200 through the bradenhead.	
8-5/8" 28# 8-thd. New Electric casemented by the Halliburton method with easing and 200 through the bradenhead.  Casing and fittings will be tested to the disturbed for thirty minutes. Casing and continues of the continues of t	ing was set in this well at 2310' and 350 sacks of cement. 450 sacks through with 1200# pump pressure and allowed to
8-5/8" 28# 8-thd. New Electric can be seemented by the Halliburton method with the saing and 200 through the bradenhead.  Casing and fittings will be tested to stand undisturbed for thirty minutes. Casing and the same test again applied.  Approved AAY 71936	sing was set in this well at 2310' and 350 sacks of cement. 450 sacks through with 1200# pump pressure and allowed to ment plug will then beddrilled out of
8-5/8" 28# 8-thd. New Electric can memented by the Halliburton method with easing and 200 through the bradenhead. Casing and fittings will be tested utand undisturbed for thirty minutes. Casing and the same test again applied.	Amerada Petroleum Corporation Company or Operator  By  Position  Farm Bose  Send communications regarding well to