

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

5a. Indicate Type of Lease  
State ☐ Fee ☒  
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER- WELL	7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation	8. Farm or Lease Name L. M. Lambert
3. Address of Operator Drawer D, Monument, New Mexico 88265	9. Well No. 11
4. Location of Well UNIT LETTER B 990 FEET FROM THE North LINE AND 2310 FEET FROM THE East LINE, SECTION 6 TOWNSHIP 20S RANGE 37E NMPM.	10. Field and Pool, or WHdcat Eunice Monument G/SA
15. Elevation (Show whether DF, RT, GR, etc.) 3573' DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-6-88 to 6-9-88

MIRU pulling unit & pulled rods & pump. Installed BOP, checked for fill inside 6-5/8" csg. & TOH w/tbg. Ran pkr. set at 3455' & tested tbg. to 2000#. Held OK. Acidized Grayburg San Andres Zone 6-5/8" csg. perfs. fr. 3520' - 3629' w/2000 gal. 15% NEFE HCL acid using ball sealers as diverter. Swabbed load & TOH w/pkr. Re-ran tbg., pump & rods & resumed production.

Test of 6-21-88: Pumped 0 b.o., 0 b.w., & 500 MCFGPD in 24 hrs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R. L. White Jr. TITLE Supv. Adm. Svc. DATE 6-28-88

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY JERRY SEXTON TITLE  DATE

CONDITIONS OF APPROVAL, IF ANY: