

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation		8. Farm or Lease Name L. M. Lambert
3. Address of Operator Drawer D, Monument, New Mexico 88265		9. Well No. 11
4. Location of Well UNIT LETTER <u>B</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>2310</u> FEET FROM THE <u>East</u> LINE, SECTION <u>6</u> TOWNSHIP <u>20S</u> RANGE <u>37E</u> NMPM.		10. Field and Pool, or Wildcat Eunice Monument G/SA
15. Elevation (Show whether DF, RT, GR, etc.) 3573' DF		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plan to MIRU pulling unit & install BOP. Check for fill & run Hydrostatic bailer if necessary. TIH w/perforated sub & pkr. Set pkr. at + 3450'. Pump 100 gal. 15% NEFE HCL to clean scale fr. tbg. Circ. acid out of hole. TIH w/Md. R dbl. grip pkr. & set at + 3450'. Test tbg. Acidize Grayburg San Andres Zone 6-5/3" csg. perf. fr. 3520' - 3629' w/2000 gal. 15% NEFE HCL acid w/5% mutual solvent in stages using ball sealers as diverter. Pull pkr. Re-run prod. eqpt. & return well to producing status.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R. L. Whaley, Jr. TITLE Supv. Adm. Svc. DATE 5-27-88

APPROVED BY Eddie W. Seay TITLE Oil & Gas Inspector DATE MAY 31 1988
CONDITIONS OF APPROVAL, IF ANY: