RECEIVED

Form 3160-5

(June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

I.M. OIL CONS. COMMISSION P.O. BOX 1980 HOBBS, NEW MEXICO 88240 FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.

LC-031621A 6. If Indian, Allonee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use? This form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well Oil S Gas Well Other	8. Well Name and No.
2. Name of Operator Doyle Hartman 3. Address and Telephone No.	Britt A-6 #1 9. API Well No. 30-025-05937
P.O. Box 10426, Midland, TX 79701 (915)684-4011 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	10. Field and Pool, or Exploratory Area Eumont (Y-7R-Q)
660' FSL & FWL (Unit M) Section 6 T-20-S, R-37-E	II. County or Parish, State Lea Co, New Mexico

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
X Notice of Intent	Abandonment	Change of Plans		
	Recompletion	New Construction		
Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Final Abandonment Notice	Altering Casing	Conversion to Injection		
	X Other Add perfs, a	cidize, Dispose Water		
	frac	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well currently producing 164 MCFPD + 6 BWPD from Eumont perfs 3129-3369 (total of 27). Propose performing the following work:

- 1. Drill out scale and clean well out to PBTD at 3599.
- 2. Set retainer at 3310' and squeeze existing perfs from 3331-3369 (5 holes).
- 3. Drill out cement and clean out well to PBTD.
- Add additional Eumont perfs as necessary.
- Run packer and RBP and set RBP above Eumont perfs. Pressure test casing. 5.
- 6. Set RBP at 3310' and packer at 3100'. Reacidize Eumont perfs 3129-3287 (22 holes).
- If additional perfs are added, pull RPB to 3100' and set packer above 7. top Eumont perf and acidize newly added Eumont perfs.
- Pull packer and RBP and run tubing, s.n., and 18' m.a. Swab back load. 8.
- Run rods and pump and test well.

10.	Pu11	rods	and	Dumb	and	frac	and	clean	uр	well.

14. I hereby ceresty that the foregain is true and correct Signed	Tide Owner - Operator	October 20, 1995
(This space for Federal or State office use) Orig. Signed by Adam Calamaia Approved by Conditions of approval, if any:	Petroleum Engineer	Date 11/24/95

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Sundry Notice
Britt A-6 #1
Page Two
October 20, 1995

Description of Proposed Work to Well (cont'd)

ll. Return well to production.

