

Form 8-331a
(March 1942)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces

Lease No. 031621 (A)

Unit U.S.G.

AUG - 1 1950

HOBBS OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Britt A-6 No. 3

Hobbs, New Mexico

August 1, 1950

Well No. 3 is located 2310 ft. from DN line and 660 ft. from W line of sec. 6

S. 6 Sec. 6 20 S 37 E 100N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Paddock Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 7 5/8" OD casing at 2529' and cemented with 870 sacks. Cement circulated. Total depth of hole 2530' in Lym. Plug down at 10:15 AM 7-26-50.

On 7-28-50, after 48 hours WOC, tested casing with 1200# for 30 minutes. Final pressure 1180#. Found top of cement plug at 2500'. Tested casing with 1200# for 30 minutes. Final pressure 1160#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 60

Hobbs, New Mexico

By [Signature]

Title Asst. District Superintendent

