

District I
PO Box 1988, Hobbs, NM 88241-1988
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Bravo Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-05953		Pool Code 86440 96968	Pool Name MONUMENT; TUBB OIL & GAS (PRO GAS) West
Property Code 2688	Property Name G.C. MATTHEWS		Well Number 12
OGRID No. 4323	Operator Name CHEVRON U.S.A., INC.		Elevation 3556'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South Line	Feet from the	East/West Line	County
P	6	20S	37E		330	SOUTH	990	EAST	LEA

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South Line	Feet from the	East/West Line	County

12 Dedication Acres 160	13 Joint or Infill	14 Consolidation Code	15 Order No.
----------------------------	--------------------	-----------------------	--------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16					17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Signature <u>J. K. Ripley</u> Printed Name <u>J. K. RIPLEY</u> Title <u>REGULATORY O.A.</u> Date <u>10/9/00</u>
					18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number

330 — 990'

OWWO

COUNTY LEA FIELD Monument STATE NM MN 05953
 OPR GULF OIL CORP. MAP
 12 Matthews, G. C.
 Sec 6, T-20-S, R-37-E CO-ORD
 330' FSL, 990' FEL of Sec

Re-Cmp 12-11-70		CLASS		OWOF EL 3566 ⁸	
FORMATION	DATUM	FORMATION	DATUM		
CSG & SX TUBING					
13 3/8" at 408' w/400 sx					
9 5/8" at 2899' w/1725 sx					
7" at 5699' w/500 sx.					
LOGS EL GR RA IND HC A					
TD 5700'; PBD 3650'					

(Grayburg) Perfs 3425-3614' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT PROP DEPTH 3614' TYPE WO
 DATE

1-12-71 F.R.C. 1-14-71; Opr's Elev. 3556' DF
 PD 3614' WO (Grayburg)
 (Orig. comp 11-1-54 thru (Blincbry) Perfs
 5662-97', OTD 5700', OPB 5697'; OWWO & Re-Cmp
 11-11-70 thru Perfs 3722-28', OPB 5400')
 TD 5700'; PBD 3650'; COMPLETE
 Sqzd (3722-28') w/150 sx
 Perf 3682-86' w/2 SPF
 Acid (3682-86') 560 gals
 Swbd 18 BFW in 3 hrs (3682-86')
 PB to 3650'
 Perf 3425-27', 3482-84', 3551-53', 3612-14'
 w/2 SPF
 Acid (3425-3614') 3000 gals

TEA
GULF OIL CORP.

Monument NM Sec 6, T20S, R37E
12 Matthews, G. C. Page #2

1-12-71

Continued

Flwd 1 BO + 11 BW in 24 hrs thru 19/64" chk,
GOR 1,448,000, Grav 28.2, TP 575# (3425-3614')

1-14-71

COMPLETION REPORTED

COUNTY LEA FIELD Monument STATE NM MN 05953
 OWWO
 CPR GULF OIL CORP. MAP
12 Matthews, G. C.
Sec 6, T-20-S, R-37-E CO-ORD
330' FSL, 990' FEL of Sec

Re-Cmp 11-11-70		CLASS <u>OWDF</u> EL <u>35462</u>	
FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" at 408' w/400 sx			
9 5/8" at 2899' w/1725 sx			
7" at 5699' w/500 sx			
LOGS EL GR RA IND HC A			
		ID 5700'; PBD 5400'	

IP (Grayburg-San Andres) Perfs 3722-28' F 97 BOPD + 60 BW. Pot based on 24 hr test thru 18/64" chlk. G Pkr; TP 300#.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5700' TYPE WO
 DATE

F.R.C. 11-26-70; Opr's Elev. 3556' DF
 PD 3727' WO (Grayburg-San Andres)
 (Orig. comp 11-1-54 thru (Blainebry) Perfs 5662-97',
 OHD 5700'; OFF 5697')
 11-23-70 TD 5700'; PBD 5400'; COMPLETE
 PB to 5400'
 Perf 3722-27' w/8 shots
 Acid (3722-27') 500 gals
 11-26-70 COMPLETION REPORTED