

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED
MAY 11 1948
HOBBS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the report specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SEASONING CHEMICAL TREATMENT OF WELL	X	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

May 5, 1948

Midland, Texas

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

The Texas Company's J. L. Phillips Well No. 5 in the
Company or Operator Lease
NW 1/4 NW 1/4 of Sec. 6, T. 20-S, R. 37-E, N. M. P. M.,
Monument Field, Lea County.

The dates of this work were as follows: See below

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on May 1 1948

and approval of the proposed plan was (~~obtained~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

TD: 5775 PB to 5290' - Lime

5-1/2" casing cemented at 5770' with 750 sacks.

Lane-Well's drillable bridge plug set at 5746'.

5-1/2" casing perforated at 5660-5720' with 360 holes.

Flowed 367 barrels fluid 2/10% BS&W in 22 hours. Baker cement retainer set at 5320' with 30' cement on top of retainer. 5-1/2" casing perf rated 5195-5220' with 150--1/2" holes. Swabbed well dry, water with rainbow of oil.

Acidized 5-1-48, with 500 gallons (Chemical Process) mud acid, perforations

5195-5220'. Swabbed at rate of 2 barrels per hour, 1% BS&W. (See over)

Witnessed by _____ Name _____ Company _____ Title _____

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

8th day of May, 1948

Name J. L. Phillips

Mary Jane Halpern
Notary Public

Position Dist. Supt.

Representing The Texas Company

Company or Operator

My commission expires June 1, 1949

Address B. x 1270, Midland, Texas

Remarks:

APPROVED

MAY 11 1948

Red J. Halpern
Name

OIL & GAS INSPECTOR

Title

Cont'd

Acidized 5-2-48, with 2000 Gallons (Chemical Process) acid, same
perforated zone. Grubbed 57 barrels fluid 24 hours, 1 - 6/8
solid residue.