

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBBS DISTRICT O. O. C.

MISCELLANEOUS NOTICES

SEP 9 11 15 AM '64

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Perforating-treating	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

TEXACO, Inc. - P. O. Box 728

Hobbs, New Mexico

September 8, 1964

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

..... TEXACO, Inc. J. R. Phillips Well No. 9 in C
(Company or Operator) Lease (Unit)
NE 1/4 NW 1/4 of Sec. 6, T. 20-S, R. 37-E, NMPM, Monument Blinbry Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

We propose to do the following work in subject well:

- 1) Pull rods and tubing.
- 2) Perforate 5 1/2" casing W/2JSPF from 5588' to 5592' and 5595' to 5606'.
- 3) Set retrievable bridge plug (Otis) at approximately 5630 (set on tubing).
- 4) Spot 500 gallons 15% acid over casing perforations.
- 5) Set packer above perforations @ approximately 5540'.
- 6) Fracture with 15,000 gallons gelled lease crude carrying one (1) pound sand per gallon (First 14,500 pounds to be 20-40 mesh and last 500 pounds to be 10-20 mesh.)
- 7) Swab and test new zone.
- 8) Remove packer and bridge plug.
- 9) Run tubing rods and pump, test, and return to production.

Approved..... 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

TEXACO, INC.

Company or Operator

By..... H. D. Raymond

Position..... Assistant District Superintendent
Send Communications regarding well to:

Name..... H. D. Raymond

Address..... P. O. Box 728, Hobbs, New Mexico