The state of the s

WITH ELLENGOUS NOTES

the first section of the present of the present of the section of ad tate datuse of didice by the passes on a The state of the s $\frac{|\hat{\mathbf{x}}_{i}|}{|\hat{\mathbf{x}}_{i}|} = \frac{|\hat{\mathbf{x}}_{i}| |\hat{\mathbf{x}}_{i}| |\hat{\mathbf{x}}_{i}|}{|\hat{\mathbf{x}}_{i}| |\hat{\mathbf{x}}_{i}|} = \frac{|\hat{\mathbf{x}}_{i}|}{|\hat{\mathbf{x}}_{i}|} = 000$ $(S_{ij}, S_{ij}, S_{$ Be a report of the region of 10000 1 1 1 C S 5 /4 \mathbb{R}^{2n} . \mathbb{R}^{2n} 121 47 A 22 L 17 cm and the manager of the first of the second THE WILLIAM TO THE A

TERRECE TO PROPERTY

to be active

Caroli, Care

.

Sec. 45. 5

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

| Indicate nature o | | | |
|---|--|---|--|
| NOTICE OF INTENTION TO TEST CASING SHUT-OFF | | F INTENTION TO SHOOT OR | |
| NOTICE OF INTENTION TO CHANGE PLANS | | NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING | |
| NOTICE OF INTENTION TO REPAIR WELL | NOTICE OF | NOTICE OF INTENTION TO PLUG WELL | |
| NOTICE OF INTENTION TO DEEPEN WELL | | | |
| Monument, New | Mexico Place | February 18, 1937 | |
| OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. | | | |
| Gentlemen: | · | | |
| Following is a notice of intention to do certain work as | described below at the | | |
| Barnsdall Oil Company Al Company or Operator Lease | aska Cocper | Well No. 7 in NW/4 of SW/ | |
| of Sec. 7 , T. 20S , R. 37R | , N. M. P. M., | Nonument Field, | |
| Lea County. | | | |
| FOLLOW INSTRUCTIONS IN THE RUI | "OD casing for my | s of the commission ater shut off on the | |
| FOLLOW INSTRUCTIONS IN THE RUI | "OD casing for the test will be the case of the | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cemup a pressure of 1200# and leaving | "OD casing for the test will be the case of the | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cemup a pressure of 1200# and leaving | "OD casing for the test will be the case of the | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cemup a pressure of 1200# and leaving | "OD casing for the test will be the case of the | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cemup a pressure of 1200# and leaving | "OD casing for the test will be the case of the | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cem up a pressure of 1200# and leaving regulations. | "OD casing for "? 00 P.M. This casent. The test will set 30 minutes, | ater shat off on the sing is set at 2390' ll be made by building as per rules and | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cem up a pressure of 1200# and leaving regulations. | CD casing for wood of the case of the test will set 30 minutes, Barnsdall | ater shut off on the sing is set at 2390' | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cem up a pressure of 1200# and leaving regulations. | CD casing for wood of the case of the test will set 30 minutes, Barnsdall | of the commission ater shat off on the sing is set at 2390' ll be made by building as per rules and Oil Company Company or Operator | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cem up a pressure of 1200# and leaving regulations. | Barnsdall By Call Prod | of the commission ater shat off on the sing is set at 2390' ll be made by building as per rules and Oil Company Company or Operator | |
| We wish to test the 9 5/8 above well February 20, 1937 at 6: and cemented with 550 sacks of cem up a pressure of 1200# and leaving regulations. | Barnsdall By Accepted Position Production P | of the commission ater shut off on the sing is set at 2390' ll be made by building as per rules and Oil Company Company or Operator Luction Clerk | |

And the second s

| 2. With the property of the | |
|--|--|
| $1.000 \pm 0.00 \sqrt{4} \pi^{-1}$ by 1.000 ± 0.00 | värrit. |
| | en e |
| | $\mathcal{L} = \mathcal{L}(\mathcal{E}_{i}) + (1 + i \mathcal{E}_{i}) + (1 + i \mathcal{E}_{i})$ |
| | |
| and the second of the second o | |
| • | |

.